Appendix C:
Shovel Test Pit Summary and Soil Profile Analysis for the Proposed 85-acre Soil Borrow Project Area

South_Cornfield_STP_Results

STP #	Depth (cm)	Soil Color	Soil Texture	Artifact Summary	Excavator(s)	Excavation Date
1	0-24	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW	9/15/2004
	24-29	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---		
2	0-20	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW	9/15/2004
	20-27	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
3	0-22	Dk.Brn (10 YR 3/3)	SiLo	---	NAW	9/15/2004
	22-30	Dk.Y.Brn (10 YR 3/4)	FmSiLo	---		
4	0-21	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW	9/15/2004
	21-24	Dk.Y.Brn (10 YR 3/4)	SiLo	---		
5	0-26	Dk.Brn (10 YR 3/3)	SiLo	---	NAW	9/16/2004
	26-28	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
6	0-25	Dk.Brn (10 YR 3/3)	SiLo	---	NAW	9/16/2004
	25-30	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
7	0-24	Dk.Brn (10 YR 3/3)	SiLo	---	NAW	9/16/2004
	24-27	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
8	0-18	Dk.Brn (10 YR 3/3)	SiLo	---	NAW	9/16/2004
	18-22	Dk.Y.Brn (10 YR 3/4)	SiLo	---		
9	0-20	Dk.Brn (10 YR 3/3)	SiLo	---	NAW	9/16/2004
	20-24	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
10	0-22	Dk.Brn (10 YR 3/3)	SiLo	---	NAW	9/16/2004
	22-31	Dk.Y.Brn (10 YR 4/4)	FmSiLo	---		
11	0-26	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW	9/16/2004
	26-29	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
12	0-19	Dk.Brn (10 YR 3/3)	SiLo	---	NAW	9/16/2004
	19-20	Dk.Y.Brn (10 YR 3/4)	SiLo	---		
13	0-29	Dk.Brn (10 YR 3/3)	SiLo	---	NAW	9/16/2004
	29-34	Dk.Y.Brn (10 YR 3/4)	SiLo	---		
14	0-24	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW	9/16/2004
	24-31	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
15	0-29	Dk.Brn (10 YR 3/3)	SiLo	---	NAW	9/16/2004
	29-38	Dk.Y.Brn (10 YR 3/4)	FmSiLo	---		
16	0-22	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW	9/16/2004

	22-31	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
17	0-19	Dk.Brn (10 YR 3/3)	SiLo	---	NAW	9/17/2004
	19-24	Dk.Y.Brn (10 YR 3/4)	SiLo	---		
18	0-23	Dk.Brn (10 YR 3/3)	SiLo	---	NAW	9/17/2004
	23-30	Dk.Y.Brn (10 YR 4/4)	FmSiLo	---		
19	0-24	Dk.Brn (10 YR 3/3)	SiLo	---	NAW	9/17/2004
	24-29	Dk.Y.Brn (10 YR 4/4)	FmSiLo	---		
20	0-19	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW	9/17/2004
	19-20	Dk.Y.Brn (10 YR 3/4)	SiLo	---		
21	0-21	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW	9/17/2004
	21-33	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
22	0-24	Dk.Brn (10 YR 3/3)	SiLo	---	NAW	9/17/2004
	24-27	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
23	0-27	Dk.Brn (10 YR 3/3)	SiLo	---	NAW	9/17/2004
	27-29	Dk.Y.Brn (10 YR 3/4)	SiLo	---		
24	0-22	Dk.Brn (10 YR 3/3)	SiLo	---	NAW	9/17/2004
	22-31	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
25	0-20	Dk.Brn (10 YR 3/3)	SiLo	---	NAW	9/17/2004
	20-26	Dk.Y.Brn (10 YR 4/4)	FmSiLo	---		
26	0-25	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW	9/17/2004
	25-30	Dk.Y.Brn (10 YR 3/4)	SiLo	---		
KEY						
	Brn-Brown		Dk-Dark		Fm-Firm	
	Gr-Grayish		Lo-Loam		Si-Silt	
	V-Very		Y-Yellowish			

North_Cornfield_STP_Results

STP #	Depth (cm)	Soil Color	Soil Texture	Artifact Summary	Excavator(s)	Excavation Date
1	0-22	Dk.Brn (10 YR 3/3)	SiLo	---	NAW	9/13/2004
	22-34	Dk.Y.Brn (10 YR 3/4)	SiLo	---		
2	0-29	Dk.Brn (10 YR 3/3)	SiLo	---	NAW	9/13/2004
	29-30	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
3	0-25	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW	9/13/2004
	25-37	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
4	0-25	Dk.Brn (10 YR 3/3)	SiLo	---	NAW	9/13/2004
	25-35	Dk.Y.Brn (10 YR 3/4)	FmSiLo	---		
5	0-24	Dk.Brn (10 YR 3/3)	SiLo	---	NAW	9/13/2004
	24-34	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
6	0-29	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW	9/13/2004
	29-32	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
7	0-24	Dk.Brn (10 YR 3/3)	SiLo	---	NAW	9/13/2004
	24-29	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
8	0-27	Dk.Brn (10 YR 3/3)	SiLo	---	NAW	9/13/2004
	27-33	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
9	0-24	Dk.Brn (10 YR 3/3)	SiLo	---	NAW	9/13/2004
	24-27	Dk.Y.Brn (10 YR 3/4)	FmSiLo	---		
10	0-22	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW	9/13/2004
	22-30	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
11	0-20	Dk.Brn (10 YR 3/3)	SiLo	---	NAW	9/13/2004
	20-29	Dk.Y.Brn (10 YR 4/4)	FmSiLo	---		
12	0-24	Dk.Brn (10 YR 3/3)	SiLo	---	NAW	9/13/2004
	24-31	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
13	0-28	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW	9/13/2004
	28-30	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
14	0-26	Dk.Brn (10 YR 3/3)	SiLo	---	NAW	9/13/2004
	26-35	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
15	0-29	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW	9/13/2004
	29-37	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
16	0-25	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW	9/13/2004

	25-34	Dk.Y.Brn (10 YR 3/4)	SiLo	---		
17	0-23	Dk.Brn (10 YR 3/3)	SiLo	---	NAW	9/13/2004
	23-33	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
18	0-24	Dk.Brn (10 YR 3/3)	SiLo	---	NAW	9/14/2004
	24-35	Dk.Y.Brn (10 YR 4/4)	FmSiLo	---		
19	0-22	Dk.Brn (10 YR 3/3)	SiLo	---	NAW	9/14/2004
	22-29	Dk.Y.Brn (10 YR 3/4)	SiLo	---		
20	0-20	Dk.Brn (10 YR 3/3)	SiLo	---	NAW	9/14/2004
	20-24	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
21	0-27	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW	9/14/2004
	27-30	Dk.Y.Brn (10 YR 3/4)	SiLo	---		
22	0-26	Dk.Brn (10 YR 3/3)	SiLo	---	NAW	9/14/2004
	26-35	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
23	0-20	Dk.Brn (10 YR 3/3)	SiLo	---	NAW	9/14/2004
	20-33	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
24	0-28	Dk.Brn (10 YR 3/3)	SiLo	---	NAW	9/14/2004
	28-37	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
25	0-25	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW	9/14/2004
	25-30	Dk.Y.Brn (10 YR 3/4)	SiLo	---		
26	0-20	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW	9/14/2004
	20-25	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
27	0-27	Dk.Brn (10 YR 3/3)	SiLo	---	NAW	9/14/2004
	27-31	Dk.Y.Brn (10 YR 3/4)	SiLo	---		
28	0-21	Dk.Brn (10 YR 3/3)	SiLo	---	NAW	9/14/2004
	21-33	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
29	0-25	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW	9/14/2004
	25-32	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
30	0-22	Dk.Brn (10 YR 3/3)	SiLo	---	NAW	9/14/2004
	22-24	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
31	0-24	Dk.Brn (10 YR 3/3)	SiLo	---	NAW	9/14/2004
	24-27	Dk.Y.Brn (10 YR 3/4)	FmSiLo	---		
32	0-27	Dk.Brn (10 YR 3/3)	SiLo	---	NAW	9/14/2004

	27-33	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
33	0-22	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW	9/15/2004
	22-29	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
34	0-20	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW	9/15/2004
	20-23	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
35	0-27	Dk.Brn (10 YR 3/3)	SiLo	---	NAW	9/15/2004
	27-32	Dk.Y.Brn (10 YR 3/4)	SiLo	---		
36	0-22	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW	9/15/2004
	22-25	Dk.Y.Brn (10 YR 3/4)	SiLo	---		
37	0-25	Dk.Brn (10 YR 3/3)	SiLo	---	NAW	9/15/2004
	25-30	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
38	0-29	Dk.Brn (10 YR 3/3)	SiLo	---	NAW	9/15/2004
	29-33	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
39	0-28	Dk.Brn (10 YR 3/3)	SiLo	---	NAW	9/15/2004
	28-36	Dk.Y.Brn (10 YR 3/4)	SiLo	---		
40	0-20	Dk.Brn (10 YR 3/3)	SiLo	---	NAW	9/15/2004
	20-24	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
KEY						
	Brn-Brown		Dk-Dark		Gr-Grayish	
	Fm-Firm		Lo-Loam		Si-Silt	
	V-Very		Y-Yellowish			

Narrow_Woodlot_STP_Results

TR#/STP #	Depth (cm)	Soil Color	Soil Texture	Artifact Summary	Excavator(s)	Excavation Date
1.1	0-13	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	MT/JT	8/26/2004
	13-24	Dk.Gr.Brn (10 YR 4/2)	SiLo	---		
1.2	0-11	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	MT/JT	8/26/2004
	11-24	Dk.Gr.Brn (10 YR 4/2)	SiLo	---		
2.1	0-29	Dk.Brn (10 YR 3/3)	SiLo	---	NAW/JPT	8/26/2004
	29-33	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
2.2	0-31	Dk.Brn (10 YR 3/3)	SiLo	see Table 10	NAW/JPT	8/26/2004
	31-37	Brn (10 YR 4/3)	SiLo	---		
2.2N	0-17	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	MT/JT	8/26/2004
	17-18	Lt.O.Brn (2.5 Y 5/3)	SiLo	---		
2.2S	0-39	Dk.Brn (10 YR 3/3)	SiLo	see Table 10	NAW/JPT	8/26/2004
	39-43	Gr.Brn (10 YR 5/2)	SiLo	---		
2.2E	0-30	Dk.Brn (10 YR 3/3)	SiLo	see Table 10	NAW/JPT	8/26/2004
	30-37	Y.Brn (10 YR 5/4)	SiLo	---		
2.2W	0-42	Dk.Gr.Brn (10 YR 4/2)	SiLo	---	MT/JT	8/26/2004
	42-43	Brn (10 YR 5/3)	SiLo	---		
3.1	0-12	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	see Table 10	MT/JT	8/26/2004
	12-21	Brn (10 YR 4/3)	SiLo	---		
3.1N	0-10	Dk.Brn (10 YR 3/3)	SiLo	---	MT/JT	8/26/2004
	10-22	Brn (10 YR 4/3)	SiLo	---		
3.1S	0-10	Dk.Gr.Brn (10 YR 4/2)	SiLo	see Table 10	MT/JT	8/26/2004
	10-23	Brn (10 YR 4/3)	SiLo	---		
3.1E	0-11	Dk.Gr.Brn (10 YR 4/2)	SiLo	see Table 10	MT/JT	8/26/2004
	11-24	Brn (10 YR 4/3)	SiLo	---		
3.1W	0-10	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	see Table 10	MT/JT	8/26/2004
	10-22	Brn (10 YR 4/3)	SiLo	---		
3.2	0-12	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	MT/JT	8/26/2004
	12-24	Dk.Gr.Brn (10 YR 4/2)	SiLo	---		
3.3	0-12	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	see Table 10	MT/JT	8/26/2004
	12-36	Dk.Brn (10 YR 3/3)	SiLo	---		
3.3N	0-12	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	see Table 10	MT/JT	8/26/2004

	12-32	Dk.Gr.Brn (10 YR 4/2)	SiLo	---		
3.3S	0-26	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	see Table 10	NAW/JPT	8/26/2004
	26-35	Brn (10 YR 5/3)	SiLo	---		
3.3E	0-23	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	see Table 10	MT/JT	8/26/2004
	23-31	Gr.Brn (10 YR 5/2)	SiLo	---		
3.3W	0-33	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	see Table 10	NAW/JPT	8/26/2004
	33-39	Brn (10 YR 5/3)	SiLo	---		
4.1	0-14	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	see Table 10	NAW/JPT	8/26/2004
	14-21	Dk.Brn (10 YR 3/3)	SiLo	---		
4.1N	0-13	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW/JPT	8/26/2004
	13-18	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---		
4.1S	0-16	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	see Table 10	NAW/JPT	8/26/2004
	16-21	Dk.Brn (10 YR 3/3)	SiLo	---		
4.1E	0-24	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW/JPT	8/26/2004
	24-33	Dk.Brn (10 YR 3/3)	SiLo	---		
4.1W	0-16	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	see Table 10	NAW/JPT	8/26/2004
	16-21	Dk.Brn (10 YR 3/3)	SiLo	---		
4.2	0-15	Dk.Brn (10 YR 3/3)	SiLo	---	NAW/JPT	8/26/2004
	15-18	Brn (10 YR 4/3)	SiLo	---		
4.3	0-11	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW/JPT	8/26/2004
	11-18	Dk.Brn (10 YR 3/3)	SiLo	---		
4.3N	0-22	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW/JPT	8/27/2004
	22-30	Brn (10 YR 4/3)	SiLo	---		
4.3S	0-21	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	see Table 10	NAW/JPT	8/27/2004
	21-35	Brn (10 YR 4/3)	SiLo	---		
4.3E	0-17	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW/JPT	8/27/2004
	17-24	Dk.Y.Brn (10 YR 3/4)	SiLo	---		
4.3W	0-16	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW/JPT	8/27/2004
	16-25	Dk.Brn (10 YR 3/3)	SiLo	---		
5.1	0-9	Brn (10 YR 4/3)	SiLo	see Table 10	MT/JT	8/27/2004
	9-38	Brn (10 YR 4/3)	SiLo	---		
5.1N	0-10	Dk.Brn (10 YR 3/3)	SiLo	---	MT/JT	8/27/2004

	10-27	Dk.Y.Brn (10 YR 3/4)	SiLo	---		
5.1S	0-7	Brn (10 YR 4/3)	SiLo	---	MT/JT	8/27/2004
	7-27	Brn (10 YR 4/3)	SiLo	---		
5.1E	0-12	Dk.Brn (10 YR 3/3)	SiLo	see Table 10	MT/JT	8/27/2004
	12-23	Dk.Y.Brn (10 YR 3/4)	SiLo	---		
5.1W	0-6	Brn (10 YR 4/3)	SiLo	---	MT/JT	8/27/2004
	6-24	Dk.Gr.Brn (10 YR 4/2)	SiLo	---		
5.2	0-18	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	MT/JT	8/27/2004
	18-32	Dk.Y.Brn (10 YR 3/4)	SiLo	---		
5.3	0-12	Dk.Brn (10 YR 3/3)	SiLo	---	MT/JT	8/27/2004
	12-22	Dk.Gr.Brn (10 YR 4/2)	SiLo	---		
5.4	0-20	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	see Table 10	MT/JT	8-27-2004
	20-30	NA	gravel fill	---		
5.5	0-10	Dk.Gr.Brn (10 YR 4/2)	SiLo	see Table 10	MT/JT	8/27/2004
	10-18	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
6.1	0-3	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW/JPT	8/27/2004
	3-27	Brn (10 YR 4/3)	FmSiLo	---		
6.2	0-19	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	see Table 10	NAW/JPT	8/27/2004
	19-24	Dk.Y.Brn (10 YR 3/4)	SiLo	---		
6.2N	0-26	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW/JPT	8/27/2004
	26-30	Dk.Y.Brn (10 YR 3/4)	SiLo	---		
6.2S	0-27	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	see Table 10	NAW/JPT	8/27/2004
	27-37	Dk.Y.Brn (10 YR 3/4)	SiLo	---		
6.2E	0-20	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW/JPT	8/27/2004
	20-28	Brn (10 YR 4/3)	SiLo	---		
6.2W	0-36	Dk.Brn (10 YR 3/3)	SiLo	---	NAW/JPT	8/27/2004
	36-39	Dk.Y.Brn (10 YR 4/6)	SiLo	---		
6.3	0-15	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	see Table 10	NAW/JPT	8/27/2004
	15-26	Y.Brn (10 YR 5/4)	FmSiLo	---		
6.3N	0-15	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW/JPT	8/27/2004
	15-29	Dk.Gr.Brn (10 YR 4/2)	FmSiLo	---		
6.3S	0-13	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW/JPT	8/27/2004

	13-24	Brn (10 YR 4/3)	SiLo	---		
6.3E	0-14	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW/JPT	8/27/2004
	14-22	Brn (10 YR 5/3)	SiLo	---		
6.3W	0-16	Dk.Brn (10 YR 3/3)	SiLo	---	NAW/JPT	8/27/2004
	16-25	Dk.Gr.Brn (10 YR 4/2)	FmSiLo	---		
6.4	0-31	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW/JPT	8/27/2004
	31-38	Dk.Gr.Brn (10 YR 4/2)	FmSiLo	---		
6.5	0-20	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW/JPT	8/27/2004
	20-24	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
6.6	0-8	Dk.Brn (10 YR 3/3)	SiLo	---	NAW/JPT	8/27/2004
	8-21	Dk.Y.Brn (10 YR 4/4)	FmSiLo	---		
7.1	0-16	Dk.Y.Brn (10 YR 3/4)	SiLo	---	MT/JT	8/27/2004
	16-28	Brn (10 YR 4/3)	SiLo	---		
7.2	0-24	Dk.Gr.Brn (10 YR 4/2)	SiLo	---	MT/JT	8/27/2004
	24-27	Brn (10 YR 4/3)	SiLo	---		
7.3	0-8	Dk.Y.Brn (10 YR 3/4)	SiLo	---	MT/JT	8/27/2004
	8-19	Dk.Y.Brn (10 YR 4/6)	SiLo	---		
7.4	0-17	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	MT/JT	8/27/2004
	17-29	Dk.Gr (10 YR 4/1)	SiLo	---		
7.5	0-12	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	MT/JT	8/27/2004
	12-26	Brn (10 YR 4/3)	SiLo	---		
7.6	0-12	Dk.Brn (10 YR 3/3)	SiLo	see Table 10	MT/JT	8/27/2004
	12-26	Dk.Y.Brn (10 YR 3/6)	SiLo	---		
7.6N	0-15	Dk.Brn (10 YR 3/3)	SiLo	see Table 10	NAW/JPT	8/27/2004
	15-21	Dk.Y.Brn (10 YR 3/6)	FmSiLo	---		
7.6S	0-14	Dk.Brn (10 YR 3/3)	SiLo	see Table 10	MT/JT	8/27/2004
	14-23	Dk.Y.Brn (10 YR 3/6)	SiLo	---		
7.6E	0-12	V.Dk.Gr.Brn (10 YR 3/2)	FmSiLo	see Table 10	MT/JT	8/27/2004
	12-21	Dk.Y.Brn (10 YR 4/4)	FmSiLo	---		
7.6W	0-11	V.Dk.Gr.Brn (10 YR 3/2)	FmSiLo	---	MT/JT	8/27/2004
	11-21	Dk.Y.Brn (10 YR 4/4)	FmSiLo	---		
8.1	0-13	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	MT/JT	8/27/2004

	13-29	Dk.Y.Brn (10 YR 3/6)	SiLo	---		
8.2	0-9	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	MT/JT	8/27/2004
	9-19	Dk.Gr.Brn (10 YR 4/2)	SiLo	---		
8.3	0-9	Brn (10 YR 4/3)	SiLo	---	MT/JT	8/27/2004
	9-26	Gr.Brn (10 YR 5/2)	SiLo	---		
8.4	0-13	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	MT/JT	8/27/2004
	13-24	Dk.Gr (10 YR 4/1)	SiLo	---		
8.5	0-14	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	MT/JT	8/27/2004
	14-31	Dk.Y.Brn (10 YR 3/4)	SiLo	---		
8.6	0-17	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	see Table 10	MT/JT	8/27/2004
	17-24	Dk.Brn (10 YR 3/3)	SiLo	---		
8.6N	0-18	Dk.Brn (10 YR 3/3)	SiLo	see Table 10	NAW/JPT	8/27/2004
	18-25	Brn (10 YR 4/3)	SiLo	---		
8.6S	0-20	Dk.Gr.Brn (10 YR 4/2)	SiLo	---	NAW/JPT	8/27/2004
	20-23	Brn (10 YR 4/3)	SiLo	---		
8.6E	0-18	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW/JPT	8/27/2004
	18-31	Dk.Brn (10 YR 3/3)	FmSiLo	---		
8.6W	0-10	Dk.Y.Brn (10 YR 3/4)	SiLo	see Table 10	MT/JT	8/27/2004
	10-30	Brn (10 YR 4/3)	SiLo	---		
9.1	0-17	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW/JPT	8/27/2004
	17-24	Brn (10 YR 4/3)	SiLo	---		
9.2	0-13	Dk.Brn (10 YR 3/3)	SiLo	---	NAW/JPT	8/27/2004
	13-25	Dk.Gr.Brn (10 YR 4/2)	FmSiLo	---		
9.3	0-15	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW/JPT	8/27/2004
	15-27	Brn (10 YR 4/3)	SiLo	---		
10.1	0-36	Dk.Brn (10 YR 3/3)	FmSiLo	---	NAW/JPT	8/27/2004
	36-39	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
10.2	0-12	Brn (10 YR 4/3)	SiLo	---	NAW/JPT	8/27/2004
	12-22	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
10.3	0-26	Dk.Brn (10 YR 3/3)	SiLo	---	NAW/JPT	8/27/2004
	26-36	Dk.Gr.Brn (10 YR 4/2)	FmSiLo	---		
10.4	0-10	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW/JPT	8/27/2004

	10-18	Brn (10 YR 4/3)	SiLo	---		
11.1	0-9	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	MT/JT	8/27/2004
	9-21	Brn (10 YR 4/3)	SiLo	---		
11.2	0-15	Dk.Gr.Brn (10 YR 4/2)	SiLo	---	MT/JT	9/1/2004
	15-27	Brn (10 YR 4/3)	SiLo	---		
11.3	0-14	Dk.Y.Brn (10 YR 3/6)	SiLo	---	MT/JT	9/1/2004
	14-25	Brn (10 YR 4/3)	SiLo	---		
11.4	0-10	Brn (10 YR 4/3)	SiLo	---	MT/JT	9/1/2004
	10-25	Brn (10 YR 4/3)	SiLo	---		
11.5	0-17	Dk.Brn (10 YR 3/3)	SiLo	---	MT/JT	9/1/2004
	17-32	Dk.Y.Brn (10 YR 3/6)	SiLo	---		
12.1	0-15	Brn (10 YR 4/3)	SiLo	---	NAW/JPT	9/1/2004
	15-20	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
12.2	0-27	Dk.Brn (10 YR 3/3)	SiLo	---	NAW/JPT	9/1/2004
	27-33	O.Gr (5 Y 5/2)	RSiLo	---		
12.2N	0-26	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW/JPT	9/1/2004
	26-33	Gr (10 YR 5/1)	RSiLo	---		
12.2S	0-27	Brn (10 YR 4/3)	SiLo	---	NAW/JPT	9/1/2004
	27-34	O (5 Y 5/3)	RSiLo	---		
12.2E	0-32	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW/JPT	9/1/2004
	32-40	Dk.Gr.Brn (10 YR 4/2)	RSiLo	---		
12.2W	0-27	Brn (10 YR 4/3)	SiLo	---	NAW/JPT	9/1/2004
	27-33	Brn (10 YR 5/3)	SiLo	---		
12.3	0-28	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW/JPT	9/1/2004
	28-32	Brn (10 YR 4/3)	FmSiLo	---		
12.4	0-44	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	see Table 10	NAW/JPT	9/1/2004
	44-51	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
12.4N	0-40	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW/JPT	9/1/2004
	40-42	Brn (10 YR 4/3)	FmSiLo	---		
12.4S	0-25	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	see Table 10	NAW/JPT	9/1/2004
	25-34	Brn (10 YR 4/3)	SiLo	---		
12.4E	0-35	Dk.Brn (10 YR 3/3)	SiLo	see Table 10	NAW/JPT	9/1/2004

	35-41	Brn (10 YR 4/3)	FmSiLo	---		
12.4W	0-30	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	see Table 10	NAW/JPT	9/1/2004
	30-37	Brn (10 YR 4/3)	SiLo	---		
12.5	0-25	Brn (10 YR 4/3)	SiLo	---	NAW/JPT	9/1/2004
	25-31	Brn (10 YR 5/3)	SiLo	---		
13.1	0-9	Brn (10 YR 4/3)	SiLo	see Table 10	MT/JT	9/1/2004
	9-27	Dk.Y.Brn (10 YR 4/6)	SiLo	---		
13.1N	0-20	Dk.Gr.Brn (10 YR 4/2)	SiLo	---	MT/JT	9/1/2004
	20-27	Brn (10 YR 4/3)	SiLo	---		
13.1S	0-23	Dk.Gr.Brn (10 YR 4/2)	SiLo	---	MT/JT	9/1/2004
	23-32	Brn (10 YR 4/3)	SiLo	---		
13.1E	0-19	Dk.Gr.Brn (10 YR 4/2)	SiLo	see Table 10	MT/JT	9/1/2004
	19-30	Dk.Y.Brn (10 YR 4/6)	SiLo	---		
13.1W	0-18	Dk.Gr.Brn (10 YR 4/2)	SiLo	---	MT/JT	9/1/2004
	18-27	Y.Brn (10 YR 5/4)	SiLo	---		
13.2	0-5	Dk.Gr.Brn (10 YR 4/2)	SiLo	---	MT/JT	9/1/2004
	5-16	Brn (10 YR 4/3)	SiLo	---		
13.3	0-16	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	MT/JT	9/1/2004
	16-28	Brn (10 YR 4/3)	SiLo	---		
13.4	0-8	Brn (10 YR 4/3)	SiLo	---	MT/JT	9/1/2004
	8-21	Brn (10 YR 5/3)	SiLo	---		
14.1	0-18	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	MT/JT	9/1/2004
	18-29	Brn (10 YR 4/3)	SiLo	---		
14.2	0-13	Dk.Gr.Brn (10 YR 4/2)	SiLo	---	MT/JT	9/1/2004
	13-21	Brn (10 YR 4/3)	SiLo	---		
14.3	0-19	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	MT/JT	9/1/2004
	19-29	Brn (10 YR 4/3)	SiLo	---		
15.1	0-30	Brn (10 YR 4/3)	SiLo	---	NAW/JPT	9/1/2004
	30-35	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
15.2	0-32	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW/JPT	9/1/2004
	32-37	Brn (10 YR 4/3)	SiLo	---		
15.3	0-13	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW/JPT	9/1/2004

	13-27	Brn (10 YR 4/3)	SiLo	---		
15.4	0-22	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	see Table 10	NAW/JPT	9/1/2004
	22-32	Brn (10 YR 4/3)	FmSiLo	---		
16.1	0-16	Dk.Y.Brn (10 YR 4/4)	SiLo	---	MT/JT	9/1/2004
	16-26	Dk.Y.Brn (10 YR 4/6)	SiLo	---		
16.2	0-14	Dk.Gr.Brn (10 YR 4/2)	SiLo	---	MT/JT	9/1/2004
	14-21	Brn (10 YR 4/3)	SiLo	---		
16.3	0-8	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	MT/JT	9/1/2004
	8-17	Dk.Y.Brn (10 YR 3/4)	SiLo	---		
16.4	0-13	Dk.Gr.Brn (10 YR 4/2)	SiLo	---	MT/JT	9/1/2004
	13-24	Gr.Brn (10 YR 5/2)	SiLo	---		
16.5	0-41	Brn (10 YR 4/3)	SiLo	---	NAW/JPT	9/1/2004
	41-47	Brn (10 YR 5/3)	SiLo	---		
17.1	0-20	Dk.Brn (10 YR 3/3)	SiLo	---	NAW/JPT	9/1/2004
	20-36	Brn (10 YR 4/3)	FmSiLo	---		
17.2	0-14	Dk.Brn (10 YR 3/3)	SiLo	---	MT/JT	9/1/2004
	14-32	Dk.Y.Brn (10 YR 3/6)	SiLo	---		
17.3	0-11	Dk.Gr.Brn (10 YR 4/2)	SiLo	---	MT/JT	9/1/2004
	11-24	Brn (10 YR 4/3)	SiLo	---		
17.4	0-23	Dk.Gr.Brn (10 YR 4/2)	SiLo	see Table 10	MT/JT	9/1/2004
	23-41	Brn (10 YR 4/3)	SiLo	---		
17.4N	0-17	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	see Table 10	NAW/JPT	9/2/2004
	17-22	Brn (10 YR 4/3)	SiLo	---		
17.4S	0-13	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	see Table 10	MT/JT	9/2/2004
	13-25	Dk.Gr.Brn (10 YR 4/2)	SiLo	---		
17.4E	0-11	Dk.Gr.Brn (10 YR 4/2)	SiLo	see Table 10	MT/JT	9/2/2004
	11-21	Brn (10 YR 5/3)	SiLo	---		
17.4W	0-28	Dk.Brn (10 YR 3/3)	SiLo	---	NAW/JPT	9/2/2004
	28-33	Brn (10 YR 4/3)	FmSiLo	---		
17.4N-ext	0-12	Dk.Gr.Brn (10 YR 4/2)	SiLo	---	MT/JT	9/2/2004
	12-29	Brn (10 YR 4/3)	SiLo	---		
18.1	0-22	Dk.Gr.Brn (10 YR 4/2)	SiLo	---	MT/JT	9/2/2004

	22-29	Brn (10 YR 4/3)	SiLo	---		
18.2	0-6	Dk.Gr.Brn (10 YR 4/2)	SiLo	---	MT/JT	9/2/2004
	6-20	Brn (10 YR 4/3)	SiLo	---		
18.3	0-13	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	MT/JT	9/2/2004
	13-27	Brn (10 YR 4/3)	SiLo	---		
18.4	0-18	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	MT/JT	9/2/2004
	18-29	Brn (10 YR 4/3)	SiLo	---		
18.5	0-13	Brn (10 YR 4/3)	SiLo	---	NAW/JPT	9/2/2004
	13-24	Brn (10 YR 5/3)	SiLo	---		
19.1	0-24	Dk.Brn (10 YR 3/3)	SiLo	---	NAW/JPT	9/2/2004
	24-32	Brn (10 YR 4/3)	SiLo	---		
19.2	0-14	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW/JPT	9/2/2004
	14-24	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
19.3	0-29	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW/JPT	9/2/2004
	29-34	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
20.1	0-9	Brn (7.5 YR 4/3)	FmSiLo	---	MT/JT	9/2/2004
	9-28	Brn (7.5 YR 4/3)	FmSiLo	---		
20.2	0-6	Dk.Brn (10 YR 3/3)	SiLo	---	MT/JT	9/2/2004
	6-19	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
20.3	0-12	Dk.Brn (10 YR 3/3)	SiLo	see Table 10	MT/JT	9/2/2004
	12-28	Dk.Y.Brn (10 YR 3/6)	SiLo	---		
20.3N	0-4	Dk.Brn (10 YR 3/3)	SiLo	see Table 10	NAW/JPT	9/2/2004
	4-32	Dk.Y.Brn (10 YR 4/4)	FmSiLo	---		
20.3S	0-10	Dk.Gr.Brn (10 YR 4/2)	FmSiLo	see Table 10	MT/JT	9/2/2004
	10-23	Dk.Y.Brn (10 YR 4/4)	FmSiLo	---		
20.3E	0-12	Dk.Gr.Brn (10 YR 4/2)	SiLo	---	NAW/JPT	9/2/2004
	12-21	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
20.3W	0-6	Brn (10 YR 4/3)	SiLo	see Table 10	MT/JT	9/2/2004
	6-23	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
20.4	0-13	Dk.Brn (10 YR 3/3)	SiLo	---	NAW/JPT	9/2/2004
	13-20	Brn (10 YR 4/3)	FmSiLo	---		
21.1	0-26	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW/JPT	9/2/2004

	26-32	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
21.2	0-3	Dk.Brn (10 YR 3/3)	SiLo	---	NAW/JPT	9/2/2004
	3-20	Dk.Brn (7.5 YR 3/3)	FmSiLo	---		
21.3	0-7	Dk.Brn (10 YR 3/3)	SiLo	---	NAW/JPT	9/2/2004
	7-18	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
21.4	0-12	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW/JPT	9/2/2004
	12-25	Brn (10 YR 5/3)	FSaLo	---		
21.5	0-19	Dk.Gr.Brn (10 YR 4/2)	SiLo	---	MT/JT	9/2/2004
	19-23	Brn (10 YR 4/3)	SiLo	---		
Extra-1	0-4	Dk.Gr.Brn (10 YR 4/2)	SiLo	---	NAW/JPT	9/2/2004
	4-15	Brn (10 YR 4/3)	SiLo	---		
Extra-2	0-8	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	MT/JT	9/2/2004
	8-23	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
Extra-3	0-23	Dk.Brn (10 YR 3/3)	SiLo	---	NAW/JPT	9/2/2004
	23-28	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
Extra-4	0-8	Dk.Brn (10 YR 3/3)	SiLo	---	MT/JT	9/2/2004
	8-15	Brn (10 YR 4/3)	SiLo	---		
Extra-5	0-11	Dk.Y.Brn (10 YR 3/6)	SiLo	---	MT/JT	9/2/2004
	11-22	Y.Brn (10 YR 5/6)	SiLo	---		
Extra-6	0-5	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW/JPT	9/2/2004
	5-22	Dk.Y.Brn (10 YR 3/4)	SiLo	---		
KEY						
	Brn-Brown		Dk-Dark		Gr-Grayish	
	Lo-Loam		Lt-Light		O-Olive	
	Si-Silt		V-Very		Y-Yellowish	

Appendix D:
Shovel Test Pit Summary and Soil Profile Analysis for the Proposed 92-acre Landfill Expansion Project Area

92acre_Wooded_Area_STP_Results

TR#/STP #	Depth (cm)	Soil Color	Soil Texture	Artifact Summary	Excavator(s)	Excavation Date
1.1	0-15	Dk.Brn (10 YR 3/3)	SiLo	see Table 11	MT/JT/NAW/JPT	8/2/2004
	15-20	Brn (10 YR 4/3)	FmSiLo	---		
1.1E	0-12	Dk.Brn (10 YR 3/3)	SiLo	---	MT/JT/NAW/JPT	8/2/2004
	12-21	Dk.Y.Brn (10 YR 3/4)	FmSiLo	---		
1.1N	0-10	Dk.Brn (10 YR 3/3)	SiLo	---	MT/JT/NAW/JPT	8/2/2004
	10-25	Brn (10 YR 4/3)	FmSiLo	---		
1.1S	0-10	Dk.Brn (10 YR 3/3)	SiLo	---	MT/JT/NAW/JPT	8/2/2004
	10-24	Brn (10 YR 4/3)	FmSiLo	---		
1.1W	0-16	Dk.Brn (10 YR 3/3)	SiLo	---	MT/JT/NAW/JPT	8/2/2004
	16-24	Dk.Y.Brn (10 YR 3/4)	FmSiLo	---		
1.2	0-13	Dk.Brn (10 YR 3/3)	SiLo	see Table 11	MT/JT	8/2/2004
	13-23	Dk.Y.Brn (10 YR 4/4)	FmSiLo	---		
1.2E	0-5	Brn (10 YR 4/3)	FmSiLo	see Table 11	NAW/JPT	8/2/2004
	5-27	Dk.Y.Brn (10 YR 4/4)	FmSiLo	---		
1.2N	0-11	Dk.Brn (10 YR 3/3)	SiLo	---	MT/JT	8/2/2004
	11-25	Dk.Y.Brn (10 YR 4/4)	FmSiLo	---		
1.2S	0-14	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	MT/JT	8/2/2004
	14-25	Brn (10 YR 4/3)	FmSiLo	---		
1.2W	0-12	V.Dk.Gr.Brn (10 YR 3/2)	FmSiLo	---	NAW/JPT	8/2/2004
	12-25	Dk.Y.Brn (10 YR 4/4)	FmSiLo	---		
1.3	0-30	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	see Table 11	MT/JT	8/2/2004
	30-39	Dk.Y.Brn (10 YR 3/4)	FmSiLo	---		
1.3E	0-28	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	see Table 11	MT/JT	8/2/2004
	28-30	Brn (10 YR 4/3)	FmSiLo	---		
1.3N	0-27	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	MT/JT	8/2/2004
	27-39	Brn (10 YR 4/3)	FmSiLo	---		
1.3S	0-35	V.Dk.Brn (10 YR 2/2)	SiLo	---	NAW/JPT	8/2/2004
	35-37	Dk.Y.Brn (10 YR 4/4)	FmSiLo	---		
1.3W	0-17	Dk.Brn (10 YR 3/3)	SiLo	---	NAW/JPT	8/2/2004
	17-25	Dk.Y.Brn (10 YR 4/4)	FmSiLo	---		
1.4	0-25	V.Dk.Brn (10 YR 2/2)	SiLo	see Table 11	MT/JT	8/2/2004

	25-34	Dk.Y.Brn (10 YR 3/4)	FmSiLo	---		
1.4E	0-28	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	see Table 11	NAW/JPT	8/2/2004
	28-36	Dk.Y.Brn (10 YR 4/4)	FmSiLo	---		
1.4N	0-23	V.Dk.Brn (10 YR 2/2)	SiLo	see Table 11	MT/JT	8/2/2004
	23-32	Dk.Y.Brn (10 YR 4/4)	FmSiLo	---		
1.4S	0-20	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	see Table 11	MT/JT	8/2/2004
	20-27	Brn (10 YR 4/3)	FmSiLo	---		
1.4W	0-29	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	see Table 11	MT/JT	8/2/2004
	29-31	Brn (10 YR 4/3)	FmSiLo	---		
2.1	0-16	Dk.Brn (10 YR 3/3)	SiLo	---	NAW/JPT	8/2/2004
	16-29	Brn (10 YR 4/3)	FmSiLo	---		
2.2	0-27	Dk.Y.Brn (10 YR 4/4)	FmSiLo	see Table 11	NAW/JPT	8/2/2004
	27-30	Brn (10 YR 4/3)	FmSiLo	---		
2.2E	0-12	Dk.Brn (10 YR 3/3)	SiLo	---	MT/JT	8/2/2004
	12-25	Brn (10 YR 4/3)	FmSiLo	---		
2.2N	0-25	Dk.Brn (10 YR 3/3)	FmSiLo	see Table 11	NAW/JPT	8/2/2004
	25-36	Dk.Y.Brn (10 YR 4/4)	FmSiLo	---		
2.2S	0-22	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	MT/JT	8/2/2004
	22-25	Brn (10 YR 4/3)	FmSiLo	---		
2.2W	0-29	V.Dk.Gr.Brn (10 YR 3/2)	FmSiLo	---	NAW/JPT	8/2/2004
	29-36	Dk.Brn (10 YR 3/3)	FmSiLo	---		
2.3	0-19	V.Dk.Gr.Brn (10 YR 3/2)	FmSiLo	---	NAW/JPT	8/2/2004
	19-26	Brn (10 YR 4/3)	FmSiLo	---		
2.4	0-13	Dk.Brn (10 YR 3/3)	SiLo	---	NAW/JPT	8/2/2004
	13-35	Dk.Y.Brn (10 YR 4/4)	FmSiLo	---		
2.5	0-27	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW/JPT	8/2/2004
	27-30	Dk.Y.Brn (10 YR 4/4)	FmSiLo	---		
2.6	0-20	Dk.Brn (10 YR 3/3)	SiLo	see Table 11	NAW/JPT	8/3/2004
	20-26	Brn (10 YR 4/3)	SiLo	---		
2.6E	0-17	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	see Table 11	MT/JT	8/3/2004
	17-25	Brn (10 YR 4/3)	SiLo	---		
2.6N	0-13	Dk.Brn (10 YR 3/3)	SiLo	---	NAW/JPT	8/3/2004

	13-18	Dk.Y.Brn (10 YR 3/4)	SiLo	---		
2.6S	0-15	Dk.Brn (10 YR 3/3)	SiLo	see Table 11	NAW/JPT	8/3/2004
	15-25	Dk.Y.Brn (10 YR 4/4)	VFmSiLo	---		
2.6W	0-19	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	MT/JT	8/3/2004
	19-29	Brn (10 YR 4/3)	FmSiLo	---		
2.7	0-8	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	MT/JT	8/3/2004
	8-23	Brn (10 YR 5/3)	FmSiLo	---		
2.8	0-7	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	MT/JT	8/3/2004
	7-24	Brn (10 YR 5/3)	FmSiLo	---		
3.1	0-10	Dk.Brn (10 YR 3/3)	SiLo	---	NAW/JPT	8/3/2004
	10-12	Y.Brn (10 YR 5/4)	VFmSiLo	---		
3.2	0-14	Dk.Brn (10 YR 3/3)	SiLo	---	NAW/JPT	8/3/2004
	14-20	Dk.Y.Brn (10 YR 4/4)	FmSiLo	---		
3.3	0-12	Dk.Brn (10 YR 3/3)	SiLo	---	NAW/JPT	8/3/2004
	12-21	Dk.Y.Brn (10 YR 4/4)	FmSiLo	---		
3.4	0-13	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW/JPT	8/3/2004
	13-20	Brn (10 YR 4/3)	SiLo	---		
3.4E	0-10	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW/JPT	8/3/2004
	10-20	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
3.4N	0-8	Dk.Brn (10 YR 3/3)	SiLo	---	NAW/JPT	8/3/2004
	8-24	Dk.Y.Brn (10 YR 4/4)	FmSiLo	---		
3.4S	0-8	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	MT/JT	8/3/2004
	8-24	Dk.Y.Brn (10 YR 4/4)	FmSiLo	---		
3.4W	0-19	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	MT/JT	8/3/2004
	19-29	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
3.5	0-15	Dk.Brn (10 YR 3/3)	SiLo	---	NAW/JPT	8/3/2004
	15-39	Brn (10 YR 4/3)	SiLo	---		
3.6	0-16	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW/JPT	8/3/2004
	16-24	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
3.7	0-11	Dk.Brn (10 YR 3/3)	SiLo	see Table 11	NAW/JPT	8/3/2004
	11-31	Dk.Y.Brn (10 YR 4/4)	FmSiLo	---		
3.7E	0-12	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	MT/JT	8/3/2004

	12-19	Dk.Y.Brn (10 YR 3/4)	FmSiLo	---		
3.7N	0-12	Dk.Brn (10 YR 3/3)	SiLo	---	NAW/JPT	8/3/2004
	12-34	Dk.Y.Brn (10 YR 4/4)	FmSiLo	---		
3.7S	0-12	V.Dk.Brn (10 YR 2/2)	SiLo	---	MT/JT	8/3/2004
	12-20	Dk.Y.Brn (10 YR 3/4)	FmSiLo	---		
3.7W	0-16	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	see Table 11	NAW/JPT	8/3/2004
	16-25	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
4.1	0-12	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	MT/JT	8/3/2004
	12-20	Y.Brn (10 YR 5/4)	FmSiLo	---		
4.2	0-14	V.Dk.Brn (10 YR 2/2)	SiLo	---	MT/JT	8/3/2004
	14-29	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---		
4.3	0-12	V.Dk.Gr.Brn (10 YR 3/2)	FmSiLo	---	MT/JT	8/3/2004
	12-28	Brn (10 YR 4/3)	FmSiLo	---		
4.4	0-12	Brn (10 YR 4/3)	SiLo	---	MT/JT	8/3/2004
	12-22	Dk.Gr.Brn (10 YR 4/2)	SiLo	---		
4.5	0-14	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	MT/JT	8/3/2004
	14-23	Brn (10 YR 4/3)	FmSiLo	---		
4.6	0-13	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	MT/JT	8/3/2004
	13-25	Dk.Y.Brn (10 YR 4/4)	FmSiLo	---		
4.7	0-9	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	MT/JT	8/3/2004
	9-28	Dk.Y.Brn (10 YR 3/4)	FmSiLo	---		
4.8	0-21	V.Dk.Brn (10 YR 2/2)	SiLo	---	MT/JT	8/3/2004
	21-32	Dk.Y.Brn (10 YR 3/4)	SiLo	---		
5.1	0-8	Dk.Brn (10 YR 3/3)	SiLo	---	NAW/JPT	8/3/2004
	8-25	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
5.2	0-15	Dk.Brn (10 YR 3/3)	SiLo	---	NAW/JPT	8/3/2004
	15-33	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
5.3	0-11	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW/JPT	8/3/2004
	11-19	Dk.Y.Brn (10 YR 3/4)	SiLo	---		
5.4	0-22	Dk.Brn (10 YR 3/3)	SiLo	see Table 11	NAW/JPT	8/3/2004
	22-36	Dk.Y.Brn (10 YR 3/4)	SiLo	---		
5.4E	0-17	V.Dk.Brn (10 YR 2/2)	SiLo	---	MT/JT	8/3/2004

	17-25	Brn (10 YR 4/3)	FmSiLo	---		
5.4N	0-17	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	MT/JT	8/3/2004
	17-31	Dk.Y.Brn (10 YR 4/4)	FmSiLo	---		
5.4S	0-18	Dk.Brn (10 YR 3/3)	SiLo	---	NAW/JPT	8/3/2004
	18-34	Dk.Y.Brn (10 YR 4/4)	FmSiLo	---		
5.4W	0-18	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	see Table 11	NAW/JPT	8/3/2004
	18-28	Brn (10 YR 4/3)	SiLo	---		
5.5	0-12	Dk.Brn (10 YR 3/3)	SiLo	---	NAW/JPT	8/4/2004
	12-27	Y.Brn (10 YR 5/4)	FmSiLo	---		
5.6	0-14	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	see Table 11	NAW/JPT	8/4/2004
	14-22	Dk.Y.Brn (10 YR 3/4)	SiLo	---		
5.6E	0-19	Dk.Brn (10 YR 3/3)	SiLo	---	NAW/JPT	8/4/2004
	19-25	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
5.6N	0-18	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	MT/JT	8/4/2004
	18-22	Brn (7.5 YR 4/4)	FrSiLo	---		
5.6S	0-17	Dk.Brn (10 YR 3/3)	SiLo	see Table 11	NAW/JPT	8/4/2004
	17-28	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
5.6W	0-16	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	MT/JT	8/4/2004
	16-24	Brn (7.5 YR 4/4)	FmSiLo	---		
5.7	0-6	V.Dk.Brn (10 YR 2/2)	SiLo	---	NAW/JPT	8/4/2004
	6-16	PaBrn (10 YR 6/2)	SiLo	---		
6.1	0-17	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	MT/JT	8/3/2004
	17-27	Brn (10 YR 4/3)	SiLo	---		
6.2	0-15	Dk.Brn (10 YR 3/3)	SiLo	---	MT/JT	8/3/2004
	15-28	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
6.3	0-14	Dk.Brn (10 YR 3/3)	SiLo	---	MT/JT	8/3/2004
	14-23	Dk.Y.Brn (10 YR 4/4)	FmSiLo	---		
6.4	0-14	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	MT/JT	8/3/2004
	14-21	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
6.5	0-22	V.Dk.Brn (10 YR 2/2)	SiLo	---	MT/JT	8/4/2004
	22-29	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---		
6.6	0-24	Y.Brn (10 YR 5/4)	SiLo	---	MT/JT	8/4/2004

	25-35	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---		
6.7	0-12	Dk.Brn (10 YR 3/3)	SiLo	---	MT/JT	8/4/2004
	12-26	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
6.8	0-14	Dk.Gr.Brn (10 YR 4/2)	SiLo	---	MT/JT	8/4/2004
	14-24	Brn (10 YR 4/3)	FmSiLo	---		
7.1	0-16	Dk.Brn (10 YR 3/3)	SiLo	---	NAW/JPT	8/4/2004
	16-30	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
7.2	0-18	Dk.Brn (10 YR 3/3)	SiLo	---	NAW/JPT	8/4/2004
	18-28	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
7.3	0-11	Dk.Y.Brn (10 YR 3/4)	SiLo	see Table 11	NAW/JPT	8/4/2004
	11-24	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
7.3E	0-13	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	MT/JT	8/4/2004
	13-28	Dk.Y.Brn (10 YR 4/4)	FmSiLo	---		
7.3N	0-15	Dk.Y.Brn (10 YR 3/4)	SiLo	---	MT/JT	8/4/2004
	15-37	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
7.3S	0-14	Dk.Brn (10 YR 3/3)	SiLo	---	NAW/JPT	8/4/2004
	14-31	Dk.Y.Brn (10 YR 4/4)	VFmSiLo	---		
7.3W	0-16	Dk.Brn (10 YR 3/3)	SiLo	---	NAW/JPT	8/4/2004
	16-26	Y.Brn (10 YR 5/4)	SiLo	---		
7.4	0-17	Dk.Brn (10 YR 3/3)	SiLo	---	NAW/JPT	8/4/2004
	17-24	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
7.5	0-11	Dk.Brn (10 YR 3/3)	SiLo	---	NAW/JPT	8/4/2004
	11-26	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
7.6	0-16	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW/JPT	8/4/2004
	16-25	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
7.7	0-16	V.Dk.Gr.Brn (10 YR 3/2)	FmSiLo	---	NAW/JPT	8/4/2004
	16-30	Dk.Brn (10 YR 3/3)	SiLo	---		
7.8	0-10	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	MT/JT	8/4/2004
	10-24	Dk.Y.Brn (10 YR 3/4)	FmSiLo	---		
8.1	0-17	Dk.Y.Brn (10 YR 3/4)	SiLo	---	MT/JT	8/4/2004
	17-29	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
8.2	0-16	Brn (10 YR 4/3)	SiLo	---	MT/JT	8/4/2004

	16-25	Dk.Y.Brn (10 YR 4/4)	FmSiLo	---		
8.3	0-14	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	MT/JT	8/4/2004
	14-22	Dk.Y.Brn (10 YR 4/4)	FmSiLo	---		
8.4	0-12	Brn (10 YR 4/3)	SiLo	---	MT/JT	8/4/2004
	12-23	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
8.5	0-14	Dk.Brn (10 YR 3/3)	SiLo	---	MT/JT	8/4/2004
	14-28	Dk.Y.Brn (10 YR 4/4)	FmSiLo	---		
8.6	0-15	Dk.Y.Brn (10 YR 3/4)	SiLo	---	MT/JT	8/4/2004
	15-28	Dk.Y.Brn (10 YR 3/4)	SiLo	---		
8.7	0-12	Dk.Brn (10 YR 3/3)	SiLo	---	MT/JT	8/4/2004
	12-23	Dk.Y.Brn (10 YR 3/4)	SiLo	---		
9.1	0-10	Dk.Y.Brn (10 YR 3/4)	SiLo	---	NAW/JPT	8/4/2004
	10-20	Dk.Y.Brn (10 YR 3/4)	SiLo	---		
9.2	0-16	Dk.Brn (10 YR 3/3)	SiLo	---	NAW/JPT	8/4/2004
	16-31	Y.Brn (10 YR 5/4)	SiLo	---		
9.3	0-14	Dk.Brn (10 YR 3/3)	SiLo	---	NAW/JPT	8/4/2004
	14-25	Dk.Y.Brn (10 YR 3/6)	SiLo	---		
9.4	0-12	Dk.Brn (10 YR 3/3)	SiLo	see Table 11	NAW/JPT	8/4/2004
	12-24	Brn (10 YR 4/3)	SiLo	---		
9.4E	0-11	Dk.Brn (10 YR 3/3)	SiLo	---	NAW/JPT	8/5/2004
	11-23	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
9.4N	0-11	Dk.Brn (10 YR 3/3)	SiLo	---	MT/JT	8/5/2004
	11-24	Dk.Y.Brn (10 YR 4/4)	FmSiLo	---		
9.4S	0-14	Dk.Y.Brn (10 YR 3/4)	SiLo	---	MT/JT	8/5/2004
	14-29	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
9.4W	0-15	Dk.Brn (10 YR 3/3)	SiLo	---	NAW/JPT	8/5/2004
	15-33	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
9.5	0-15	Dk.Brn (10 YR 3/3)	SiLo	see Table 11	NAW/JPT	8/5/2004
	15-24	Dk.Y.Brn (10 YR 4/4)	FmSiLo	---		
9.5E	0-13	Dk.Brn (10 YR 3/3)	SiLo	---	NAW/JPT	8/5/2004
	13-24	Dk.Y.Brn (10 YR 3/4)	SiLo	---		
9.5N	0-11	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	MT/JT	8/5/2004

	11-20	Dk.Y.Brn (10 YR 4/4)	FmSiLo	---		
9.5S	0-20	Dk.Brn (10 YR 3/3)	SiLo	see Table 11	NAW/JPT	8/5/2004
	20-33	Dk.Y.Brn (10 YR 4/6)	SiLo	---		
9.5W	0-11	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	MT/JT	8/5/2004
	11-23	Dk.Y.Brn (10 YR 4/4)	FmSiLo	---		
9.6	0-12	Dk.Brn (10 YR 3/3)	SiLo	---	NAW/JPT	8/5/2004
	12-22	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
9.9	0-17	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW/JPT	8/5/2004
	17-24	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
10.1	0-14	Dk.Brn (10 YR 3/3)	SiLo	---	MT/JT	8/4/2004
	14-30	Dk.Y.Brn (10 YR 3/4)	SiLo	---		
10.2	0-21	Dk.Brn (10 YR 3/3)	SiLo	---	MT/JT	8/4/2004
	21-29	Brn (10 YR 5/3)	FmSiLo	---		
10.3	0-12	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	MT/JT	8/4/2004
	12-26	Dk.Y.Brn (10 YR 3/4)	SiLo	---		
10.4	0-16	Dk.Brn (10 YR 3/3)	SiLo	---	MT/JT	8/4/2004
	16-29	Dk.Y.Brn (10 YR 4/4)	FmSiLo	---		
10.5	0-19	Brn (10 YR 4/3)	SiLo	---	MT/JT	8/5/2004
	19-25	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
10.6	0-16	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	MT/JT	8/5/2004
	16-24	Brn (10 YR 5/3)	FmSiLo	---		
10.7	0-14	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	MT/JT	8/5/2004
	14-27	Brn (10 YR 4/3)	SiLo	---		
10.8	0-15	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	MT/JT	8/5/2004
	15-30	Brn (10 YR 4/3)	SiLo	---		
10.9	0-12	Dk.Brn (10 YR 3/3)	SiLo	see Table 11	MT/JT	8/5/2004
	12-23	Dk.Y.Brn (10 YR 4/4)	FmSiLo	---		
10.9E	0-15	Brn (10 YR 4/3)	SiLo	---	NAW/JPT	8/5/2004
	15-26	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
10.9N	0-16	V.Dk.Brn (10 YR 2/2)	SiLo	---	MT/JT	8/5/2004
	16-28	Dk.Y.Brn (10 YR 3/4)	SiLo	---		
10.9S	0-13	Dk.Brn (10 YR 3/3)	SiLo	---	MT/JT	8/5/2004

	13-28	Dk.Y.Brn (10 YR 3/4)	SiLo	---		
10.9W	0-12	Dk.Brn (10 YR 3/3)	SiLo	---	MT/JT	8/5/2004
	12-30	Dk.Y.Brn (10 YR 3/4)	SiLo	---		
10.10	0-13	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	MT/JT	8/5/2004
	13-19	Dk.Y.Brn (10 YR 4/4)	FmSiLo	---		
11.1	0-14	Dk.Brn (10 YR 3/3)	SiLo	---	MT/JT	8/5/2004
	14-26	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
11.2	0-13	Dk.Gr.Brn (10 YR 4/2)	SiLo	---	MT/JT	8/5/2004
	13-23	Dk.Y.Brn (10 YR 4/4)	FmSiLo	---		
11.3	0-14	Dk.Y.Brn (10 YR 3/4)	SiLo	---	MT/JT	8/5/2004
	14-29	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
11.4	0-21	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	MT/JT	8/5/2004
	21-37	Dk.Y.Brn (10 YR 3/4)	SiLo	---		
11.5	0-24	Dk.Brn (10 YR 3/3)	SiLo	---	MT/JT	8/5/2004
	24-31	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
11.6	0-22	Dk.Brn (10 YR 3/3)	SiLo	---	MT/JT	8/5/2004
	22-29	Dk.Y.Brn (10 YR 3/4)	FmSiLo	---		
11.7	0-20	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	MT/JT	8/5/2004
	20-34	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
11.8	0-18	Dk.Brn (10 YR 3/3)	SiLo	---	MT/JT	8/5/2004
	18-25	Dk.Y.Brn (10 YR 4/4)	FmSiLo	---		
11.9	0-26	Dk.Gr.Brn (10 YR 4/2)	SiLo	---	MT/JT	8/5/2004
	26-30	Dk.Y.Brn (10 YR 4/4)	FmSiLo	---		
11.10	0-25	Dk.Brn (10 YR 3/3)	SiLo	---	MT/JT	8/5/2004
	25-28	Brn (10 YR 4/3)	FmSiLo	---		
11.11	0-16	Dk.Brn (10 YR 3/3)	SiLo	---	MT/JT	8/5/2004
	16-30	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
12.1	0-11	Dk.Brn (10 YR 3/3)	SiLo	---	NAW/JPT	8/5/2004
	11-28	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
12.2	0-15	Dk.Brn (10 YR 3/3)	SiLo	---	NAW/JPT	8/5/2004
	15-33	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
12.3	0-18	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW/JPT	8/5/2004

	18-29	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
12.4	0-12	Dk.Y.Brn (10 YR 3/4)	SiLo	---	NAW/JPT	8/5/2004
	12-34	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
12.5	0-12	Dk.Brn (10 YR 3/3)	SiLo	---	NAW/JPT	8/5/2004
	12-30	Brn (10 YR 4/3)	SiLo	---		
12.6	0-18	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW/JPT	8/5/2004
	18-26	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
12.7	0-19	Dk.Brn (10 YR 3/3)	SiLo	---	NAW/JPT	8/5/2004
	19-33	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
12.8	0-17	Dk.Y.Brn (10 YR 3/4)	SiLo	---	NAW/JPT	8/5/2004
	17-27	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
12.9	0-24	Dk.Brn (10 YR 3/3)	SiLo	---	NAW/JPT	8/5/2004
	24-30	Dk.Y.Brn (10 YR 4/4)	VFmSiLo	---		
12.10	0-26	Dk.Brn (10 YR 3/3)	SiLo	---	NAW/JPT	8/5/2004
	26-34	Dk.Y.Brn (10 YR 3/4)	SiLo	---		
12.11	0-19	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW/JPT	8/6/2004
	19-24	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
12.12	0-20	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW/JPT	8/6/2004
	20-27	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
12.13	0-17	Dk.Brn (10 YR 3/3)	SiLo	---	NAW/JPT	8/6/2004
	17-30	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
12.14	0-20	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW/JPT	8/6/2004
	20-29	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
13.1	0-18	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	see Table 12	MT/JT	8/6/2004
	18-28	Dk.Brn (10 YR 3/3)	SiLo	---		
13.1E	0-31	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	MT/JT	8/6/2004
	31-36	Dk.Y.Brn (10 YR 3/4)	SiLo	---		
13.1N	0-24	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	MT/JT	8/6/2004
	24-34	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
13.1S	0-35	Dk.Brn (10 YR 3/3)	SiLo	see Table 12	NAW/JPT	8/6/2004
	35-43	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
13.1W	0-30	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	see Table 12	MT/JT	8/6/2004

	30-39	Brn (10 YR 4/3)	SiLo	---		
13.2	0-22	Dk.Brn (10 YR 3/3)	SiLo	---	MT/JT	8/6/2004
	22-28	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
13.3	0-26	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	MT/JT	8/6/2004
	26-33	Brn (10 YR 4/3)	FmSiLo	---		
13.4	0-18	V.Dk.Brn (10 YR 2/2)	SiLo	---	MT/JT	8/6/2004
	18-27	Brn (10 YR 4/3)	SiLo	---		
13.5	0-21	Dk.Y.Brn (10 YR 3/4)	SiLo	---	MT/JT	8/6/2004
	21-26	Dk.Y.Brn (10 YR 4/4)	FmSiLo	---		
13.6	0-23	Dk.Brn (10 YR 3/3)	SiLo	---	MT/JT	8/6/2004
	23-30	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
13.7	0-18	Dk.Brn (10 YR 3/3)	SiLo	see Table 12	MT/JT	8/6/2004
	18-28	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
13.7E	0-16	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	see Table 12	NAW/JPT	8/6/2004
	16-25	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
13.7N	0-24	Dk.Brn (10 YR 3/3)	SiLo	see Table 12	MT/JT	8/6/2004
	24-29	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
13.7S	0-20	Dk.Brn (10 YR 3/3)	SiLo	see Table 12	NAW/JPT	8/6/2004
	20-32	Dk.Y.Brn (10 YR 4/6)	SiLo	---		
13.7W	0-23	Dk.Brn (10 YR 3/3)	SiLo	see Table 12	MT/JT	8/6/2004
	23-31	Dk.Y.Brn (10 YR 4/4)	FmSiLo	---		
13.8	0-24	Dk.Brn (10 YR 3/3)	SiLo	---	MT/JT	8/6/2004
	24-30	Dk.Y.Brn (10 YR 3/4)	SiLo	---		
13.9	0-11	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	MT/JT	8/9/2004
	11-25	Dk.Y.Brn (10 YR 4/4)	FmSiLo	---		
13.10	0-28	Dk.Brn (10 YR 3/3)	SiLo	---	MT/JT	8/9/2004
	28-36	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
13.11	0-22	Dk.Brn (10 YR 3/3)	SiLo	---	MT/JT	8/9/2004
	22-27	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
13.12	0-16	Dk.Brn (10 YR 3/3)	SiLo	---	MT/JT	8/9/2004
	16-24	Dk.Y.Brn (10 YR 4/4)	FmSiLo	---		
13.13	0-17	Dk.Gr.Brn (10 YR 4/2)	SiLo	---	MT/JT	8/9/2004

	17-29	Brn (10 YR 4/3)	SiLo	---		
13.14	0-14	Dk.Gr.Brn (10 YR 4/2)	SiLo	---	MT/JT	8/9/2004
	14-27	Brn (10 YR 4/3)	SiLo	---		
13.15	0-18	Dk.Brn (10 YR 3/3)	SiLo	---	MT/JT	8/9/2004
	18-29	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
13.16	0-17	Brn (10 YR 4/3)	SiLo	---	MT/JT	8/9/2004
	17-28	Dk.Y.Brn (10 YR 3/4)	FmSiLo	---		
13.17	0-22	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	MT/JT	8/9/2004
	22-34	Brn (10 YR 4/3)	FmSiLo	---		
13.18	0-16	Dk.Brn (10 YR 3/3)	SiLo	---	MT/JT	8/9/2004
	16-29	Y.Brn (10 YR 5/4)	SiLo	---		
13.19	0-12	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	MT/JT	8/9/2004
	12-25	Dk.Y.Brn (10 YR 4/4)	FmSiLo	---		
13.20	0-12	Dk.Y.Brn (10 YR 3/4)	SiLo	see Table 13	MT/JT	8/9/2004
	12-28	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
13.20E	0-9	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	MT/JT	8/9/2004
	9-21	Dk.Brn (10 YR 3/3)	FmSiLo	---		
13.20N	0-19	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW/JPT	8/9/2004
	19-30	Brn (10 YR 4/3)	SiLo	---		
13.20S	0-12	Brn (10 YR 4/3)	SiLo	---	MT/JT	8/9/2004
	12-19	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
13.20W	0-19	V.Dk.Brn (10 YR 2/2)	SiLo	---	NAW/JPT	8/9/2004
	19-27	Brn (10 YR 4/3)	SiLo	---		
13.21	0-10	Brn (7.5 YR 4/3)	SiLo	---	MT/JT	8/9/2004
	10-19	Brn (7.5 YR 5/4)	SiLo	---		
13.22	0-10	Brn (10 YR 4/3)	SiLo	---	MT/JT	8/10/2004
	10-23	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
13.23	0-9	Brn (10 YR 4/3)	SiLo	---	MT/JT	8/10/2004
	9-20	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
13.24	0-9	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	MT/JT	8/10/2004
	9-22	Dk.Gr.Brn (10 YR 4/2)	FmSiLo	---		
14.1	0-22	Dk.Brn (10 YR 3/3)	SiLo	---	NAW/JPT	8/6/2004

	22-36	Dk.Y.Brn (10 YR 4/4)	FmSiLo	---		
14.2	0-24	Dk.Brn (10 YR 3/3)	SiLo	see tables 12 and 13	NAW/JPT	8/6/2004
	24-34	Dk.Y.Brn (10 YR 4/4)	VFmSiLo	---		
14.2E	0-20	Dk.Brn (10 YR 3/3)	SiLo	see tables 12 and 13	MT/JT	8/6/2004
	20-31	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
14.2N	0-21	Dk.Brn (10 YR 3/3)	SiLo	---	NAW/JPT	8/6/2004
	21-34	Dk.Y.Brn (10 YR 4/6)	SiLo	---		
14.2S	0-20	Dk.Y.Brn (10 YR 3/4)	SiLo	see tables 12 and 13	MT/JT	8/6/2004
	20-29	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
14.2W	0-28	Dk.Brn (10 YR 3/3)	SiLo	see Table 12	NAW/JPT	8/6/2004
	28-32	Dk.Y.Brn (10 YR 3/4)	SiLo	---		
14.3	0-25	Dk.Brn (10 YR 3/3)	SiLo	---	NAW/JPT	8/6/2004
	25-34	Dk.Y.Brn (10 YR 4/6)	SiLo	---		
14.4	0-17	Dk.Brn (10 YR 3/3)	SiLo	see Table 12	NAW/JPT	8/6/2004
	17-24	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
14.4E	0-16	Dk.Brn (10 YR 3/3)	SiLo	see Table 12	MT/JT	8/6/2004
	16-26	Dk.Y.Brn (10 YR 4/4)	FmSiLo	---		
14.4N	0-14	Dk.Brn (10 YR 3/3)	SiLo	see Table 12	NAW/JPT	8/6/2004
	14-30	Dk.Y.Brn (10 YR 3/4)	FmSiLo	---		
14.4S	0-22	Dk.Brn (10 YR 3/3)	SiLo	---	MT/JT	8/6/2004
	22-31	Dk.Y.Brn (10 YR 3/4)	FmSiLo	---		
14.4W	0-22	Dk.Brn (10 YR 3/3)	SiLo	see Table 12	NAW/JPT	8/6/2004
	22-30	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
14.5	0-17	Dk.Brn (10 YR 3/3)	SiLo	---	NAW/JPT	8/6/2004
	17-32	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
14.6	0-24	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	see Table 12	NAW/JPT	8/6/2004
	24-31	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
14.6E	0-26	Dk.Brn (10 YR 3/3)	SiLo	---	MT/JT	8/6/2004
	26-33	Dk.Y.Brn (10 YR 4/4)	FmSiLo	---		
14.6N	0-17	Dk.Brn (10 YR 3/3)	SiLo	see Table 12	NAW/JPT	8/6/2004
	17-30	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
14.6S	0-26	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	MT/JT	8/6/2004

	26-30	Dk.Brn (10 YR 3/3)	SiLo	---		
14.6W	0-27	Dk.Brn (10 YR 3/3)	SiLo	---	NAW/JPT	8/6/2004
	27-37	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
14.7	0-23	Dk.Brn (10 YR 3/3)	SiLo	see Table 12	NAW/JPT	8/6/2004
	23-33	Dk.Y.Brn (10 YR 4/6)	SiLo	---		
14.7E	0-21	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	MT/JT	8/9/2004
	21-33	Dk.Y.Brn (10 YR 3/4)	SiLo	---		
14.7N	0-22	Dk.Brn (10 YR 3/3)	SiLo	---	NAW/JPT	8/9/2004
	22-31	Dk.Y.Brn (10 YR 3/4)	SiLo	---		
14.7S	0-16	Dk.Brn (10 YR 3/3)	SiLo	---	MT/JT	8/9/2004
	16-27	Dk.Y.Brn (10 YR 3/4)	FmSiLo	---		
14.7W	0-26	Dk.Brn (10 YR 3/3)	SiLo	---	NAW/JPT	8/9/2004
	26-32	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
14.8	0-24	Dk.Brn (10 YR 3/3)	SiLo	see Table 12	NAW/JPT	8/9/2004
	24-28	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
14.8E	0-32	Dk.Brn (10 YR 3/3)	SiLo	---	NAW/JPT	8/9/2004
	32-36	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
14.8N	0-23	Dk.Brn (10 YR 3/3)	SiLo	---	NAW/JPT	8/9/2004
	23-33	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
14.8S	0-20	Dk.Brn (10 YR 3/3)	SiLo	see Table 12	NAW/JPT	8/9/2004
	20-31	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
14.8W	0-18	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW/JPT	8/9/2004
	18-24	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
14.9	0-39	Dk.Brn (10 YR 3/3)	SiLo	---	NAW/JPT	8/9/2004
	39-43	Dk.Y.Brn (10 YR 4/4)	VFSaLo	---		
14.10	0-21	Dk.Brn (10 YR 3/3)	SiLo	---	NAW/JPT	8/9/2004
	21-35	Dk.Y.Brn (10 YR 4/6)	SiLo	---		
14.11	0-22	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW/JPT	8/9/2004
	22-28	Dk.Y.Brn (10 YR 3/6)	SiLo	---		
14.12	0-22	Dk.Brn (10 YR 3/3)	SiLo	---	NAW/JPT	8/9/2004
	22-40	Dk.Y.Brn (10 YR 3/4)	SiLo	---		
14.12E	0-19	Dk.Gr.Brn (10 YR 4/2)	SiLo	---	MT/JT	8/9/2004

	19-28	Brn (10 YR 4/3)	FmSiLo	---		
14.12N	0-19	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW/JPT	8/9/2004
	19-30	Brn (10 YR 4/3)	SiLo	---		
14.12S	0-16	Dk.Brn (10 YR 3/3)	SiLo	---	MT/JT	8/9/2004
	16-29	Dk.Y.Brn (10 YR 3/4)	SiLo	---		
14.12W	0-17	Dk.Brn (10 YR 3/3)	SiLo	---	NAW/JPT	8/9/2004
	17-30	Dk.Y.Brn (10 YR 3/4)	SiLo	---		
14.13	0-15	Dk.Brn (10 YR 3/3)	SiLo	---	NAW/JPT	8/9/2004
	15-25	Dk.Y.Brn (10 YR 3/4)	SiLo	---		
14.14	0-12	Brn (10 YR 4/3)	SiLo	---	NAW/JPT	8/9/2004
	12-23	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
14.15	0-15	Dk.Brn (10 YR 3/3)	SiLo	---	NAW/JPT	8/9/2004
	15-22	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
14.16	0-14	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW/JPT	8/9/2004
	14-27	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
14.17	0-21	Dk.Brn (10 YR 3/3)	SiLo	---	NAW/JPT	8/9/2004
	21-31	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
14.18	0-20	Dk.Brn (10 YR 3/3)	SiLo	---	NAW/JPT	8/9/2004
	20-32	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
14.19	0-18	Dk.Brn (10 YR 3/3)	SiLo	---	NAW/JPT	8/9/2004
	18-36	Y.Brn (10 YR 5/4)	SiLo	---		
14.20	0-16	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW/JPT	8/9/2004
	16-24	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
14.21	0-17	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW/JPT	8/10/2004
	17-29	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
14.22	0-16	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW/JPT	8/10/2004
	16-32	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
14.23	0-16	Dk.Brn (10 YR 3/3)	SiLo	---	NAW/JPT	8/10/2004
	16-27	Dk.Y.Brn (10 YR 4/6)	SiLo	---		
14.24	0-12	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW/JPT	8/10/2004
	12-22	Dk.Y.Brn (10 YR 4/6)	SiLo	---		
14.25	0-13	Dk.Brn (10 YR 3/3)	SiLo	---	NAW/JPT	8/10/2004

	13-30	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
14.26	0-9	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW/JPT	8/10/2004
	9-22	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
14.27	0-13	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	MT/JT	8/10/2004
	13-20	Lt.Y.Brn (10 YR 6/4)	FmSiLo	---		
14.28	0-12	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	MT/JT	8/10/2004
	12-25	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
14.29	0-13	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	MT/JT	8/10/2004
	13-20	Lt.Y.Brn (10 YR 6/4)	FmSiLo	---		
15.1	0-20	Dk.Brn (10 YR 3/3)	SiLo	see Table 14	NAW/JPT	8/10/2004
	20-29	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
15.1E	0-15	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	MT/JT	8/10/2004
	15-23	Y.Brn (10 YR 5/4)	FmSiLo	---		
15.1N	0-11	Dk.Brn (10 YR 3/3)	SiLo	---	MT/JT	8/10/2004
	11-24	Y.Brn (10 YR 5/4)	SiLo	---		
15.1S	0-20	Dk.Brn (10 YR 3/3)	SiLo	---	NAW/JPT	8/10/2004
	20-27	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
15.1W	0-22	V.Dk.Gr (10 YR 3/1)	SiLo	see Table 14	NAW/JPT	8/10/2004
	22-29	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
15.2	0-13	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW/JPT	8/10/2004
	13-18	V.Dk.Brn (10 YR 2/2)	SiLo	---		
15.3	0-12	Dk.Y.Brn (10 YR 4/4)	SiLo	---	NAW/JPT	8/10/2004
	12-18	Y.Brn (10 YR 5/4)	SiLo	---		
15.4	0-19	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW/JPT	8/10/2004
	19-28	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
15.5	0-6	Dk.Brn (10 YR 3/3)	SiLo	---	NAW/JPT	8/10/2004
	6-27	V.Dk.Brn (10 YR 2/2)	SiLo	---		
15.6	0-19	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW/JPT	8/10/2004
	19-28	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
15.7	0-10	Dk.Y.Brn (10 YR 4/4)	SiLo	---	NAW/JPT	8/10/2004
	10-24	Dk.Y.Brn (10 YR 4/6)	SiLo	---		
15.8	0-7	Dk.Brn (10 YR 3/3)	SiLo	---	NAW/JPT	8/10/2004

	7-25	Dk.Y.Brn (10 YR 4/4)	VFmSiLo	---		
15.9	0-5	Dk.Brn (10 YR 3/3)	SiLo	---	NAW/JPT	8/10/2004
	5-27	Dk.Y.Brn (10 YR 4/4)	VFmSiLo	---		
15.10	0-10	Dk.Brn (10 YR 3/3)	SiLo	---	NAW/JPT	8/10/2004
	10-30	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
15.11	0-2	Dk.Brn (10 YR 3/3)	SiLo	---	NAW/JPT	8/11/2004
	2-13	Brn (7.5 YR 4/4)	VFmSiLo	---		
15.12	0-14	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW/JPT	8/11/2004
	14-24	Brn (10 YR 4/3)	SiLo	---		
15.13	0-13	Dk.Brn (10 YR 3/3)	SiLo	---	NAW/JPT	8/11/2004
	13-28	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
15.14	0-10	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW/JPT	8/11/2004
	10-20	Dk.Y.Brn (10 YR 3/6)	SiLo	---		
15.15	0-11	Dk.Brn (10 YR 3/3)	SiLo	---	NAW/JPT	8/11/2004
	11-35	Dk.Y.Brn (10 YR 4/4)	FmSiLo	---		
15.16	0-11	Brn (10 YR 4/3)	SiLo	---	NAW/JPT	8/11/2004
	11-21	Dk.Y.Brn (10 YR 4/6)	SiLo	---		
15.17	0-11	Dk.Brn (10 YR 3/3)	SiLo	---	NAW/JPT	8/11/2004
	11-26	Dk.Y.Brn (10 YR 4/4)	FmSiLo	---		
15.18	0-11	Dk.Brn (10 YR 3/3)	SiLo	---	NAW/JPT	8/11/2004
	11-21	Dk.Y.Brn (10 YR 3/6)	SiLo	---		
15.19	0-18	Dk.Brn (10 YR 3/3)	SiLo	---	NAW/JPT	8/11/2004
	18-31	Dk.Y.Brn (10 YR 4/4)	VFmSiLo	---		
15.20	0-16	Dk.Y.Brn (10 YR 3/4)	SiLo	---	MT/JT	8/10/2004
	16-24	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
15.21	0-13	Dk.Brn (10 YR 3/3)	SiLo	---	MT/JT	8/10/2004
	13-33	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
15.22	0-16	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW/JPT	8/11/2004
	16-22	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
15.23	0-17	Dk.Brn (10 YR 3/3)	SiLo	---	MT/JT	8/10/2004
	17-22	Brn (10 YR 4/3)	FmSiLo	---		
15.24	0-15	Dk.Brn (10 YR 3/3)	SiLo	---	NAW/JPT	8/11/2004

	15-28	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
15.25	0-19	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW/JPT	8/11/2004
	19-25	Dk.Y.Brn (10 YR 3/6)	SiLo	---		
15.26	0-20	Dk.Y.Brn (10 YR 3/4)	SiLo	---	NAW/JPT	8/11/2004
	20-30	Dk.Y.Brn (10 YR 4/4)	VFmSiLo	---		
15.27	0-13	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW/JPT	8/11/2004
	13-25	Dk.Y.Brn (10 YR 3/4)	SiLo	---		
15.28	0-14	Dk.Brn (10 YR 3/3)	SiLo	---	NAW/JPT	8/11/2004
	14-28	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
15.29	0-21	Dk.Brn (10 YR 3/3)	SiLo	---	NAW/JPT	8/11/2004
	21-26	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
15.30	0-22	Dk.Brn (10 YR 3/3)	SiLo	---	NAW/JPT	8/11/2004
	22-27	Dk.Y.Brn	SiLo	---		
16.1	0-23	Dk.Brn (10 YR 3/3)	SiLo	see Table 14	MT/JT	8/10/2004
	23-34	Brn (10 YR 4/3)	SiLo	---		
16.1E	0-15	Dk.Brn (10 YR 3/3)	SiLo	see Table 14	MT/JT	8/10/2004
	15-33	Brn (10 YR 4/3)	SiLo	---		
16.1N	0-15	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW/JPT	8/10/2004
	15-23	Dk.Y.Brn (10 YR 3/4)	SiLo	---		
16.1S	0-16	Dk.Brn (10 YR 3/3)	SiLo	---	NAW/JPT	8/10/2004
	16-30	Brn (10 YR 4/3)	FmSiLo	---		
16.1W	0-15	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	MT/JT	8/10/2004
	15-24	Brn (10 YR 4/3)	FmSiLo	---		
16.2	0-11	Dk.Brn (10 YR 3/3)	SiLo	---	MT/JT	8/10/2004
	11-23	Y.Brn (10 YR 5/4)	FmSiLo	---		
16.3	0-12	Dk.Brn (10 YR 3/3)	SiLo	---	MT/JT	8/10/2004
	12-25	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
16.4	0-12	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	MT/JT	8/10/2004
	12-18	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
16.5	0-10	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	MT/JT	8/10/2004
	10-21	Y.Brn (10 YR 5/4)	FmSiLo	---		
16.6	0-18	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	MT/JT	8/10/2004

	18-29	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
16.7	0-20	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	MT/JT	8/10/2004
	20-25	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
16.8	0-9	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	MT/JT	8/10/2004
	9-24	Dk.Y.Brn (10 YR 4/4)	FmSiLo	---		
16.9	0-10	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	MT/JT	8/10/2004
	10-29	Dk.Y.Brn (10 YR 4/4)	FmSiLo	---		
16.10	0-15	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	MT/JT	8/10/2004
	15-28	Y.Brn (10 YR 5/4)	FmSiLo	---		
16.11	0-11	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	see Table 13	MT/JT	8/10/2004
	11-23	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
16.11E	0-6	Dk.Brn (10 YR 3/3)	SiLo	---	NAW/JPT	8/10/2004
	6-24	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
16.11N	0-6	Brn (10 YR 4/3)	SiLo	---	MT/JT	8/10/2004
	6-23	Y.Brn (10 YR 5/4)	FmSiLo	---		
16.11S	0-8	Dk.Brn (10 YR 3/3)	SiLo	---	NAW/JPT	8/10/2004
	8-16	Dk.Y.Brn (10 YR 4/6)	SiLo	---		
16.11W	0-4	Dk.Brn (10 YR 3/3)	SiLo	---	MT/JT	8/10/2004
	4-21	Dk.Y.Brn (10 YR 4/4)	FmSiLo	---		
16.12	0-10	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	MT/JT	8/11/2004
	10-21	Dk.Y.Brn (10 YR 4/4)	FmSiLo	---		
16.13	0-11	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	MT/JT	8/11/2004
	11-20	Dk.Y.Brn (10 YR 4/4)	FmSiLo	---		
16.14	0-17	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	MT/JT	8/11/2004
	17-29	Dk.Y.Brn (10 YR 3/4)	SiLo	---		
16.15	0-8	Dk.Brn (10 YR 3/3)	SiLo	see Table 13	MT/JT	8/11/2004
	8-21	Dk.Y.Brn (10 YR 4/4)	FmSiLo	---		
16.15E	0-14	Dk.Brn (10 YR 3/3)	SiLo	---	NAW/JPT	8/11/2004
	14-21	Dk.Y.Brn (10 YR 4/6)	SiLo	---		
16.15N	0-13	Dk.Brn (10 YR 3/3)	SiLo	---	NAW/JPT	8/11/2004
	13-30	Dk.Y.Brn (10 YR 4/6)	SiLo	---		
16.15S	0-12	Dk.Brn (10 YR 3/3)	SiLo	---	MT/JT	8/11/2004

	12-28	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
16.15W	0-14	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	MT/JT	8/11/2004
	14-22	Dk.Gr.Brn (10 YR 4/2)	FmSiLo	---		
16.16	0-14	Dk.Y.Brn (10 YR 3/4)	SiLo	---	MT/JT	8/11/2004
	14-25	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
16.17	0-20	Dk.Y.Brn (10 YR 3/4)	SiLo	---	MT/JT	8/11/2004
	20-29	Brn (10 YR 4/3)	SiLo	---		
16.18	0-13	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	MT/JT	8/11/2004
	13-25	Brn (10 YR 4/3)	FmSiLo	---		
16.19	0-23	Dk.Y.Brn (10 YR 3/4)	SiLo	---	MT/JT	8/11/2004
	23-38	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
16.20	0-12	Dk.Brn (10 YR 3/3)	SiLo	---	MT/JT	8/11/2004
	12-26	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
16.21	0-18	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	MT/JT	8/11/2004
	18-29	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
16.22	0-14	Brn (10 YR 4/3)	SiLo	---	MT/JT	8/11/2004
	14-23	Dk.Y.Brn (10 YR 4/4)	FmSiLo	---		
16.23	0-17	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	MT/JT	8/11/2004
	17-26	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
16.24	0-14	Dk.Gr.Brn (10 YR 4/2)	SiLo	---	MT/JT	8/11/2004
	14-23	Brn (10 YR 4/3)	FmSiLo	---		
16.25	0-21	Dk.Gr.Brn (10 YR 4/2)	SiLo	see Table 12	MT/JT	8/11/2004
	21-29	Dk.Y.Brn (10 YR 3/4)	SiLo	---		
16.25E	0-17	Dk.Brn (10 YR 3/3)	SiLo	see Table 12	NAW/JPT	8/11/2004
	17-32	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
16.25N	0-19	Dk.Brn (10 YR 3/3)	SiLo	see Table 12	MT/JT	8/11/2004
	19-25	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
16.25S	0-11	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW/JPT	8/11/2004
	11-22	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---		
16.25W	0-7	Brn (10 YR 4/3)	SiLo	see Table 12	MT/JT	8/11/2004
	7-26	Brn (10 YR 4/3)	SiLo	---		
16.26	0-19	Dk.Brn (10 YR 3/3)	SiLo	---	MT/JT	8/11/2004

	19-27	Dk.Y.Brn (10 YR 4/4)	FmSiLo	---		
16.27	0-14	Dk.Brn (10 YR 3/3)	SiLo	---	MT/JT	8/11/2004
	14-32	Dk.Y.Brn (10 YR 3/4)	SiLo	---		
16.28	0-20	Dk.Brn (10 YR 3/3)	SiLo	---	MT/JT	8/11/2004
	20-26	Dk.Y.Brn (10 YR 3/4)	SiLo	---		
16.29	0-10	Dk.Brn (10 YR 3/3)	SiLo	---	NAW/JPT	8/11/2004
	10-18	Dk.Y.Brn (10 YR 3/4)	SiLo	---		
16.30	0-16	Dk.Brn (10 YR 3/3)	SiLo	---	NAW/JPT	8/11/2004
	16-25	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
16.31	0-17	Dk.Brn (10 YR 3/3)	SiLo	---	MT/JT	8/11/2004
	17-24	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
16.32	0-19	Dk.Brn (10 YR 3/3)	SiLo	---	MT/JT	8/12/2004
	19-28	Dk.Y.Brn (10 YR 3/4)	SiLo	---		
16.33	0-23	Dk.Y.Brn (10 YR 4/4)	SiLo	---	NAW/JPT	8/12/2004
	23-27	Dk.Y.Brn (10 YR 4/6)	SiLo	---		
16.34	0-18	Dk.Brn (10 YR 3/3)	SiLo	---	MT/JT	8/12/2004
	18-29	Dk.Y.Brn (10 YR 3/4)	SiLo	---		
16.35	0-16	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW/JPT	8/12/2004
	16-23	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
16.36	0-14	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW/JPT	8/12/2004
	14-20	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
17.1	0-10	Gr.Brn (10 YR 5/2)	SiLo	---	MT/JT	8/12/2004
	10-17	NA	LiBR	---		
17.2	0-14	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	MT/JT	8/12/2004
	14-22	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
17.3	0-14	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	MT/JT	8/12/2004
	14-26	Brn (10 YR 4/3)	FmSiLo	---		
17.4	0-16	V.Dk.Gr (10 YR 3/1)	SiLo	---	MT/JT	8/12/2004
	16-23	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
17.5	0-9	Dk.Brn (10 YR 3/3)	SiLo	---	MT/JT	8/12/2004
	9-24	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
17.6	0-12	Dk.Y.Brn (10 YR 3/4)	SiLo	see Table 14	MT/JT	8/12/2004

	12-22	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
17.6E	0-2	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	see Table 14	NAW/JPT	8/12/2004
	2-14	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
17.6N	0-4	Dk.Brn (10 YR 3/3)	SiLo	---	NAW/JPT	8/12/2004
	4-10	Brn (7.5 YR 4/3)	VFmSiLo	---		
17.6S	0-11	Dk.Gr.Brn (10 YR 4/2)	SiLo	see Table 14	MT/JT	8/12/2004
	11-16	Y.Brn (10 YR 5/4)	FmSiLo	---		
17.6W	0-9	Dk.Y.Brn (10 YR 3/4)	SiLo	see Table 14	MT/JT	8/12/2004
	9-22	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
17.7	0-13	Dk.Brn (10 YR 3/3)	SiLo	---	MT/JT	8/12/2004
	13-32	Brn (10 YR 4/3)	SiLo	---		
17.8	0-12	Dk.Brn (10 YR 3/3)	SiLo	---	MT/JT	8/12/2004
	12-28	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
17.9	0-10	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	MT/JT	8/12/2004
	10-30	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
17.10	0-13	V.Dk.Brn (10 YR 2/2)	SiLo	---	MT/JT	8/12/2004
	13-27	V.Dk.Gr.Brn (10 YR 3/2)	FmSiLo	---		
17.11	0-9	Dk.Brn (10 YR 3/3)	SiLo	---	MT/JT	8/12/2004
	9-26	Dk.Y.Brn (10 YR 3/4)	SiLo	---		
17.12	0-11	Brn (10 YR 4/3)	SiLo	---	MT/JT	8/12/2004
	11-19	Dk.Y.Brn (10 YR 4/6)	SiLo	---		
17.13	0-9	Brn (10 YR 4/3)	SiLo	---	MT/JT	8/12/2004
	9-20	Dk.Y.Brn (10 YR 4/6)	SiLo	---		
17.14	0-9	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	MT/JT	8/12/2004
	9-24	Dk.Y.Brn (10 YR 3/4)	SiLo	---		
17.15	0-10	Brn (10 YR 4/3)	SiLo	---	MT/JT	8/12/2004
	10-22	Dk.Y.Brn (10 YR 3/4)	SiLo	---		
17.16	0-4	Dk.Brn (10 YR 3/3)	SiLo	---	MT/JT	8/12/2004
	4-22	Dk.Y.Brn (10 YR 3/4)	SiLo	---		
17.17	0-5	Dk.Brn (10 YR 3/3)	SiLo	---	MT/JT	8/12/2004
	5-18	Dk.Y.Brn (10 YR 3/4)	SiLo	---		
18.1	0-11	Dk.Brn (10 YR 3/3)	SiLo	---	NAW/JPT	8/12/2004

	11-25	Dk.Y.Brn (10 YR 4/6)	VFmSiLo	---		
18.2	0-14	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW/JPT	8/12/2004
	14-20	Brn (10 YR 4/3)	SiLo	---		
18.3	0-14	Dk.Brn (10 YR 3/3)	SiLo	see Table 14	NAW/JPT	8/12/2004
	14-30	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
18.3E	0-8	Dk.Brn (10 YR 3/3)	SiLo	see Table 14	NAW/JPT	8/12/2004
	8-19	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
18.3N	0-9	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	MT/JT	8/12/2004
	9-26	Dk.Brn (10 YR 3/3)	SiLo	---		
18.3S	0-12	Dk.Brn (10 YR 3/3)	SiLo	---	NAW/JPT	8/12/2004
	12-28	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
18.3W	0-14	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW/JPT	8/12/2004
	14-21	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
18.4	0-7	Dk.Brn (10 YR 3/3)	SiLo	---	NAW/JPT	8/12/2004
	7-21	Brn (10 YR 4/3)	SiLo	---		
18.5	0-8	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW/JPT	8/12/2004
	8-19	Dk.Brn (10 YR 3/3)	SiLo	---		
18.6	0-10	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW/JPT	8/12/2004
	10-30	Dk.Brn (10 YR 3/3)	SiLo	---		
18.7	0-7	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW/JPT	8/12/2004
	7-29	Dk.Brn (10 YR 3/3)	SiLo	---		
18.8	0-10	Dk.Brn (10 YR 3/3)	SiLo	---	NAW/JPT	8/12/2004
	10-24	Dk.Y.Brn (10 YR 3/4)	FmSiLo	---		
18.9	0-3	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW/JPT	8/12/2004
	3-13	Dk.Brn (10 YR 3/3)	SiLo	---		
18.10	0-12	Dk.Y.Brn (10 YR 3/4)	SiLo	---	NAW/JPT	8/12/2004
	12-27	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
18.11	0-7	Dk.Brn (10 YR 3/3)	SiLo	---	NAW/JPT	8/12/2004
	7-17	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
18.12	0-9	Dk.Brn (10 YR 3/3)	SiLo	---	NAW/JPT	8/12/2004
	9-27	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
18.13	0-7	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW/JPT	8/12/2004

	7-8.5	Brn (10 YR 5/3)	SiLo	---		
18.14	0-8	Dk.Brn (10 YR 3/3)	SiLo	---	NAW/JPT	8/12/2004
	8-19	Dk.Y.Brn (10 YR 4/6)	VFmSiLo	---		
18.15	0-6	Dk.Brn (10 YR 3/3)	SiLo	---	NAW/JPT	8/12/2004
	6-18	Dk.Y.Brn (10 YR 3/4)	SiLo	---		
18.16	0-17	Dk.Y.Brn (10 YR 3/4)	SiLo	---	NAW/JPT	8/12/2004
	17-29	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
18.17	0-14	Dk.Y.Brn (10 YR 3/4)	SiLo	---	NAW/JPT	8/12/2004
	14-30	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
18.18	0-7	Dk.Brn (10 YR 3/3)	SiLo	---	NAW/JPT	8/12/2004
	7-20	Dk.Y.Brn (10 YR 3/4)	SiLo	---		
18.19	0-4	Dk.Y.Brn (10 YR 3/4)	SiLo	---	NAW/JPT	8/12/2004
	4-16	Dk.Y.Brn (10 YR 4/6)	SiLo	---		
18.20	0-6	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW/JPT	8/12/2004
	6-30	Dk.Y.Brn (10 YR 4/6)	SiLo	---		
19.1	0-8	Dk.Brn (10 YR 3/3)	SiLo	---	NAW	8/13/2004
	8-14	Brn (10 YR 4/3)	FmSiLo	---		
19.2	0-28	Brn (10 YR 4/3)	SiLo	---	NAW	8/13/2004
	28-33	Y.Brn (10 YR 5/4)	SiLo	---		
19.3	0-22	Brn (10 YR 4/3)	SiLo	---	NAW	8/13/2004
	22-30	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
19.4	NA	NA	NA	---	NAW	8/13/2004
	0-15	Dk.Y.Brn (10 YR 4/6)	FmSiLo	---		
20.1	0-25	Dk.Brn (10 YR 3/3)	SiLo	---	NAW	8/13/2004
	25-35	Brn (10 YR 4/3)	SiLo	---		
20.2	0-25	Brn (10 YR 4/3)	SiLo	---	NAW	8/13/2004
	25-32	Y.Brn (10 YR 5/4)	SiLo	---		
20.3	0-23	Dk.Brn (10 YR 3/3)	SiLo	---	NAW	8/13/2004
	23-32	Dk.Y.Brn (10 YR 3/4)	SiLo	---		
20.4	0-4	Dk.Brn (10 YR 3/3)	SiLo	---	NAW	8/13/2004
	4-20	Dk.Y.Brn (10 YR 4/4)	FmSiLo	---		
21.1	0-16	Dk.Brn (10 YR 3/3)	SiLo	---	NAW	8/13/2004

	16-22	Y.Brn (10 YR 5/4)	FmSiLo	---		
21.2	0-20	Brn (10 YR 4/3)	SiLo	---	NAW	8/13/2004
	20-26	Y.Brn (10 YR 5/4)	SiLo	---		
21.3	0-25	Dk.Brn (10 YR 3/3)	SiLo	---	NAW	8/13/2004
	25-33	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
22.1	0-18	Dk.Brn (10 YR 3/3)	SiLo	---	NAW	8/13/2004
	18-27	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
22.2	0-23	Dk.Brn (10 YR 3/3)	SiLo	---	NAW	8/13/2004
	23-30	Y.Brn (10 YR 5/4)	VFmSiLo	---		
22.3	0-21	Dk.Y.Brn (10 YR 3/4)	SiLo	---	NAW	8/13/2004
	21-29	Dk.Y.Brn (10 YR 4/4)	FmSiLo	---		
22.4	0-13	Dk.Brn (10 YR 3/3)	SiLo	---	NAW	8/13/2004
	13-26	Brn (10 YR 4/3)	SiLo	---		
23.1	0-13	Dk.Brn (10 YR 3/3)	SiLo	---	NAW	8/13/2004
	13-29	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
23.2	0-19	Dk.Y.Brn (10 YR 3/4)	SiLo	---	NAW	8/13/2004
	19-26	Brn (10 YR 4/3)	VFmSiLo	---		
23.3	0-23	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW	8/13/2004
	23-31	Brn (10 YR 4/3)	SiLo	---		
23.4	0-15	Dk.Brn (10 YR 3/3)	SiLo	---	NAW	8/13/2004
	15-31	Brn (10 YR 4/3)	VFmSiLo	---		
23.5	0-10	Dk.Brn (10 YR 3/3)	SiLo	see Table 14	NAW	8/13/2004
	10-26	Brn (10 YR 4/3)	FmSiLo	---		
23.5E	0-16	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	see Table 14	NAW/JPT	8/14/2004
	16-26	Dk.Brn (10 YR 3/3)	SiLo	---		
23.5N	0-11	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	see Table 14	NAW/JPT	8/14/2004
	11-19	Brn (10 YR 4/3)	SiLo	---		
23.5S	0-10	Dk.Brn (10 YR 3/3)	SiLo	see Table 14	NAW/JPT	8/14/2004
	10-28	Brn (10 YR 4/3)	SiLo	---		
23.5W	0-11	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW/JPT	8/14/2004
	11-22	Brn (10 YR 4/3)	SiLo	---		
24.1	0-12	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	see Table 14	NAW/JPT	8/14/2004

	12-20	Brn (10 YR 4/3)	SiLo	---		
24.1E	0-8	Dk.Y.Brn (10 YR 3/4)	SiLo	---	MT/JT	8/14/2004
	8-29	Brn (10 YR 4/3)	SiLo	---		
24.1N	0-9	Dk.Y.Brn (10 YR 3/4)	SiLo	---	MT/JT	8/14/2004
	9-24	Brn (10 YR 4/3)	SiLo	---		
24.1S	0-12	Dk.Y.Brn (10 YR 3/4)	SiLo	---	MT/JT	8/14/2004
	12-28	Brn (10 YR 4/3)	SiLo	---		
24.1W	0-9	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	see Table 14	MT/JT	8/14/2004
	9-26	Gr.Brn (10 YR 5/2)	FmSiLo	---		
24.2	0-10	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	MT/JT	8/14/2004
	10-30	Brn (10 YR 4/3)	SiLo	---		
25.1	0-7	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	see Table 14	MT/JT	8/14/2004
	7-25	Brn (10 YR 4/3)	SiLo	---		
25.1E	0-9	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	MT/JT	8/14/2004
	9-24	Brn (10 YR 4/3)	FmSiLo	---		
25.1N	0-10	Dk.Y.Brn (10 YR 3/4)	SiLo	---	MT/JT	8/14/2004
	10-26	Brn (10 YR 4/3)	SiLo	---		
25.1S	0-6	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	MT/JT	8/14/2004
	6-25	Brn (10 YR 4/3)	FmSiLo	---		
25.1W	0-11	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	see Table 14	MT/JT	8/14/2004
	11-27	Brn (10 YR 4/3)	SiLo	---		
25.2	0-14	Brn (10 YR 4/3)	SiLo	---	NAW/JPT	8/14/2004
	14-24	Dk.Y.Brn (10 YR 4/4)	FmSiLo	---		
25.3	0-6	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW/JPT	8/14/2004
	6-20	Brn (10 YR 4/3)	SiLo	---		
26.1	0-13	Dk.Brn (10 YR 3/3)	SiLo	see Table 14	NAW/JPT	8/14/2004
	13-30	Brn (10 YR 4/3)	SiLo	---		
26.1E	0-15	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW/JPT	8/14/2004
	15-29	Brn (10 YR 5/3)	SiLo	---		
26.1N	0-8	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW/JPT	8/14/2004
	8-23	Brn (10 YR 4/3)	SiLo	---		
26.1S	0-9	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW/JPT	8/14/2004

	9-21	Brn (10 YR 4/3)	SiLo	---		
26.1W	0-22	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW/JPT	8/14/2004
	22-32	Brn (10 YR 4/3)	SiLo	---		
27.1	0-11	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	see Table 14	NAW/JPT	8/14/2004
	11-24	Brn (10 YR 5/3)	VFmSiLo	---		
27.1E	0-16	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW/JPT	8/14/2004
	16-30	Brn (10 YR 5/3)	VFmSiLo	---		
27.1N	0-13	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW/JPT	8/14/2004
	13-28	Brn (10 YR 5/3)	VFmSiLo	---		
27.1S	0-15	Dk.Brn (10 YR 3/3)	SiLo	---	NAW/JPT	8/14/2004
	15-32	Brn (10 YR 5/3)	VFmSiLo	---		
27.1W	0-9	Dk.Brn (10 YR 3/3)	SiLo	---	NAW/JPT	8/14/2004
	9-14	Brn (10 YR 5/3)	VFmSiLo	---		
27.2	0-9	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW/JPT	8/14/2004
	9-19	Dk.Gr.Brn (10 YR 4/2)	SiLo	---		
27.3	0-13	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	see Table 14	NAW/JPT	8/14/2004
	13-30	Brn (10 YR 4/3)	FmSiLo	---		
27.3E	0-12	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	see Table 14	NAW/JPT	8/14/2004
	12-24	Brn (10 YR 4/3)	SiLo	---		
27.3N	0-11	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	see Table 14	NAW/JPT	8/14/2004
	11-30	Brn (10 YR 4/3)	SiLo	---		
27.3S	0-15	Dk.Brn (10 YR 3/3)	SiLo	see Table 14	NAW/JPT	8/14/2004
	15-22	Brn (10 YR 4/3)	VFmSiLo	---		
27.3W	0-12	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW/JPT	8/14/2004
	12-24	Brn (10 YR 4/3)	SiLo	---		
28.1	0-10	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	see Table 14	MT/JT	8/14/2004
	10-39	Dk.Gr.Brn (10 YR 4/2)	SiLo	---		
28.1E	0-7	Dk.Gr.Brn (10 YR 4/2)	SiLo	see Table 14	MT/JT	8/14/2004
	7-26	Dk.Gr.Brn (10 YR 4/2)	SiLo	---		
28.1N	0-10	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	MT/JT	8/14/2004
	10-28	Brn (10 YR 4/3)	SiLo	---		
28.1S	0-8	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	MT/JT	8/14/2004

	8-27	Brn (10 YR 4/3)	FmSiLo	---		
28.1W	0-10	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	MT/JT	8/14/2004
	10-27	Brn (10 YR 4/3)	SiLo	---		
28.2	0-10	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	see Table 14	MT/JT	8/14/2004
	10-25	Brn (10 YR 5/3)	FmSiLo	---		
28.2E	0-10	V.Dk.Brn (10 YR 2/2)	SiLo	---	MT/JT	8/14/2004
	10-26	Brn (10 YR 4/3)	SiLo	---		
28.2N	0-9	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	MT/JT	8/14/2004
	9-29	Brn (10 YR 5/3)	FmSiLo	---		
28.2S	0-9	V.Dk.Brn (10 YR 2/2)	SiLo	---	MT/JT	8/14/2004
	9-23	Brn (10 YR 4/3)	FmSiLo	---		
28.2W	0-13	Brn (10 YR 4/3)	SiLo	---	MT/JT	8/14/2004
	13-27	Brn (10 YR 4/3)	FmSiLo	---		
28.3	0-22	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	MT/JT	8/14/2004
	22-32	Brn (10 YR 4/3)	FmSiLo	---		
28.4	0-9	V.Dk.Brn (10 YR 2/2)	SiLo	---	MT/JT	8/14/2004
	9-32	Brn (10 YR 4/3)	FmSiLo	---		
29.1	0-9	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	see Table 14	NAW/JPT	8/14/2004
	9-27	Dk.Gr.Brn (10 YR 4/2)	VFmSiLo	---		
29.1E	0-10	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	see Table 14	NAW/JPT	8/14/2004
	10-23	Brn (10 YR 4/3)	FmSiLo	---		
29.1N	0-10	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW/JPT	8/14/2004
	10-22	Brn (10 YR 4/3)	SiLo	---		
29.1S	0-8	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	see Table 14	NAW/JPT	8/14/2004
	8-24	Brn (10 YR 4/3)	FmSiLo	---		
29.1W	0-7	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW/JPT	8/14/2004
	7-22	Brn (10 YR 4/3)	FmSiLo	---		
29.2	0-11	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	see Table 14	NAW/JPT	8/14/2004
	11-26	Brn (10 YR 4/3)	VFmSiLo	---		
29.2E	0-8	Dk.Brn (10 YR 3/3)	SiLo	---	NAW	8/18/2004
	8-25	Brn (10 YR 4/3)	VFmSiLo	---		
29.2N	0-5	Brn (10 YR 4/3)	FmSiLo	see Table 14	NAW	8/18/2004

	5-21	Brn (10 YR 4/3)	VFmSiLo	---		
29.2S	0-5	Dk.Brn (10 YR 3/3)	SiLo	---	NAW	8/18/2004
	5-25	Dk.Y.Brn (10 YR 4/4)	FmSiLo	---		
29.2W	0-7	Dk.Brn (10 YR 3/3)	SiLo	see Table 14	NAW	8/18/2004
	7-15	Brn (10 YR 4/3)	FmSiLo	---		
29.3	0-8	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW/JPT	8/14/2004
	8-19	Brn (10 YR 4/3)	SiLo	---		
29.4	0-12	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW/JPT	8/14/2004
	12-23	Dk.Y.Brn (10 YR 4/4)	VFSaLo	---		
30.1	0-24	Dk.Brn (10 YR 3/3)	SiLo	---	MT/JT	8/14/2004
	24-34	Dk.Y.Brn (10 YR 4/6)	SiLo	---		
30.2	0-14	Dk.Brn (10 YR 3/3)	SiLo	see Table 14	NAW/JPT	8/16/2004
	14-27	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
30.2E	0-10	Dk.Brn (10 YR 3/3)	SiLo	---	NAW	8/18/2004
	10-24	Brn (10 YR 4/3)	FmSiLo	---		
30.2N	0-11	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	JPT	8/18/2004
	11-22	Brn (10 YR 4/3)	SiLo	---		
30.2S	0-9	Dk.Brn (10 YR 3/3)	SiLo	---	NAW	8/18/2004
	9-24	Brn (10 YR 4/3)	FmSiLo	---		
30.2W	0-12	Dk.Brn (10 YR 3/3)	SiLo	see Table 14	NAW	8/18/2004
	12-27	Dk.Y.Brn (10 YR 4/4)	FmSiLo	---		
30.3	0-7	Dk.Brn (10 YR 3/3)	SiLo	---	NAW/JPT	8/16/2004
	7-23	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
30.4	0-13	Dk.Brn (10 YR 3/3)	SiLo	---	NAW/JPT	8/16/2004
	13-26	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
30.5	0-9	Dk.Brn (10 YR 3/3)	SiLo	see Table 14	NAW/JPT	8/16/2004
	9-27	Brn (10 YR 4/3)	VFmSiLo	---		
30.5E	0-7	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	see Table 14	NAW	8/18/2004
	7-27	Brn (10 YR 4/3)	VFmSiLo	---		
30.5N	0-9	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	see Table 14	NAW	8/18/2004
	9-21	Brn (10 YR 4/3)	FmSiLo	---		
30.5S	0-7	Dk.Brn (10 YR 3/3)	SiLo	---	NAW	8/18/2004

	7-34	Brn (10 YR 4/3)	FmSiLo	---		
30.5W	0-10	Dk.Brn (10 YR 3/3)	SiLo	---	NAW	8/18/2004
	10-28	Brn (10 YR 4/3)	FmSiLo	---		
30.6	0-9	Dk.Brn (10 YR 3/3)	SiLo	see Table 14	NAW/JPT	8/16/2004
	9-20	Brn (10 YR 4/3)	VFmSiLo	---		
30.6E	0-8	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	see Table 14	MT/JT	8/17/2004
	8-19	Dk.Gr.Brn (10 YR 4/2)	FmSiLo	---		
30.6N	0-15	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	JS	8/17/2004
	15-28	Gr.Brn (10 YR 5/2)	FmSiLo	---		
30.6S	0-12	Dk.Brn (10 YR 3/3)	SiLo	see Table 14	MT/JT	8/18/2004
	12-27	Y.Brn (10 YR 5/4)	SiLo	---		
30.6W	0-20	Dk.Gr.Brn (10 YR 4/2)	SiLo	see Table 14	MT/JT	8/18/2004
	20-31	Y.Brn (10 YR 5/4)	SiLo	---		
31.1	0-23	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	see Table 14	MT/JT	8/16/2004
	23-33	Dk.Y.Brn (10 YR 4/6)	SiLo	---		
31.1E	0-13	V.Dk.Brn (10 YR 2/2)	SiLo	---	MT/JT	8/18/2004
	13-24	Dk.Brn (10 YR 3/3)	SiLo	---		
31.1N	0-14	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	MT/JT	8/18/2004
	14-23	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
31.1S	0-16	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	MT/JT	8/18/2004
	16-28	Dk.Brn (10 YR 3/3)	SiLo	---		
31.1W	0-13	Dk.Brn (10 YR 3/3)	SiLo	---	MT/JT	8/18/2004
	13-27	Dk.Y.Brn (10 YR 3/4)	SiLo	---		
31.2	0-14	Dk.Brn (10 YR 3/3)	SiLo	---	MT/JT	8/16/2004
	14-26	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
31.3	0-17	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	see Table 14	MT/JT	8/16/2004
	17-28	Dk.Y.Brn (10 YR 3/4)	SiLo	---		
31.3E	0-13	Brn (10 YR 4/3)	SiLo	---	MT/JT	8/18/2004
	13-27	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
31.3N	0-11	Dk.Brn (10 YR 3/3)	SiLo	---	MT/JT	8/18/2004
	11-25	Brn (10 YR 4/3)	SiLo	---		
31.3S	0-10	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	MT/JT	8/18/2004

	10-22	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
31.3W	0-14	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	MT/JT	8/18/2004
	14-25	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
31.4	0-7	Dk.Brn (10 YR 3/3)	SiLo	see Table 14	MT/JT	8/16/2004
	7-24	Dk.Y.Brn (10 YR 4/4)	FmSiLo	---		
31.4E	0-12	Dk.Brn (10 YR 3/3)	SiLo	---	MT/JT	8/18/2004
	12-25	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
31.4N	0-14	Dk.Brn (10 YR 3/3)	SiLo	---	MT/JT	8/18/2004
	14-27	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
31.4S	0-9	Dk.Brn (10 YR 3/3)	SiLo	---	MT/JT	8/18/2004
	9-27	Brn (10 YR 4/3)	SiLo	---		
31.4W	0-14	Dk.Brn (10 YR 3/3)	SiLo	---	MT/JT	8/18/2004
	14-25	Dk.Y.Brn (10 YR 3/4)	SiLo	---		
31.5	0-10	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	see Table 14	MT/JT	8/16/2004
	10-22	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
31.5E	0-10	Dk.Brn (10 YR 3/3)	SiLo	---	MT/JT	8/18/2004
	10-32	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
31.5N	0-11	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	MT/JT	8/18/2004
	11-25	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
31.5S	0-13	Dk.Brn (10 YR 3/3)	SiLo	---	MT/JT	8/18/2004
	13-29	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
31.5W	0-14	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	MT/JT	8/18/2004
	14-30	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
31.6	0-14	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	see Table 14	MT/JT	8/16/2004
	14-26	Brn (10 YR 4/3)	FmSiLo	---		
31.6E	0-22	Dk.Gr.Brn (10 YR 4/2)	SiLo	---	JS	8/18/2004
	22-28	Lt.Brn.Gr (10 YR 6/2)	FmSiLo	---		
31.6N	0-15	Dk.Gr.Brn (10 YR 4/2)	SiLo	---	JS	8/18/2004
	15-26	Lt.Brn.Gr (10 YR 6/2)	FmSiLo	---		
31.6S	0-20	Dk.Gr.Brn (10 YR 4/2)	SiLo	---	JS	8/18/2004
	20-30	Lt.Brn.Gr (10 YR 6/2)	FmSiLo	---		
31.6W	0-22	Dk.Gr.Brn (10 YR 4/2)	SiLo	---	JS	8/18/2004

	22-28	Lt.Brn.Gr (10 YR 6/2)	FmSiLo	---		
31.7	0-15	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	see Table 14	MT/JT	8/16/2004
	15-26	Dk.Gr.Brn (10 YR 4/2)	SiLo	---		
31.7E	0-17	Dk.Brn (10 YR 3/3)	SiLo	---	MT/JT	8/18/2004
	17-30	Dk.Gr.Brn (10 YR 4/2)	SiLo	---		
31.7N	0-17	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	MT/JT	8/18/2004
	17-24	Dk.Gr.Brn (10 YR 4/2)	SiLo	---		
31.7S	0-15	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	MT/JT	8/18/2004
	15-20	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
31.7W	0-14	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	MT/JT	8/18/2004
	14-29	Dk.Gr.Brn (10 YR 4/2)	SiLo	---		
31.8	0-12	Dk.Brn (10 YR 3/3)	SiLo	---	MT/JT	8/16/2004
	12-22	Brn (10 YR 4/3)	SiLo	---		
31.9	0-14	Dk.Brn (10 YR 3/3)	SiLo	---	MT/JT	8/16/2004
	14-27	Brn (10 YR 4/3)	SiLo	---		
32.1	0-13	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	JPT	8/16/2004
	13-24	Brn (10 YR 4/3)	SiLo	---		
32.2	0-15	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	JPT	8/16/2004
	15-28	Dk.Brn (10 YR 3/3)	SiLo	---		
32.3	0-14	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	JPT	8/16/2004
	14-23	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
32.4	0-10	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	JPT	8/16/2004
	10-19	Dk.Brn (10 YR 3/3)	SiLo	---		
32.5	0-11	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	JPT	8/16/2004
	11-23	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
32.6	0-6	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	JPT	8/16/2004
	6-19	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
32.7	0-9	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	JPT	8/16/2004
	9-23	Brn (10 YR 4/3)	SiLo	---		
32.8	0-11	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	JPT	8/16/2004
	11-22	Brn (10 YR 4/3)	SiLo	---		
32.9	0-33	Dk.Brn (10 YR 3/3)	SiLo	see Table 14	NAW/JPT	8/16/2004

	33-39	Y.Brn (10 YR 5/6)	SiLo	---		
32.9E	0-30	Dk.Gr.Brn (10 YR 4/2)	SiLo	---	JS	8/18/2004
	30-36	Lt.Brn.Gr (10 YR 6/2)	FmSiLo	---		
32.9N	0-29	Dk.Gr.Brn (10 YR 4/2)	SiLo	---	JS	8/18/2004
	29-35	Lt.Brn.Gr (10 YR 6/2)	FmSiLo	---		
32.9S	0-25	Dk.Gr.Brn (10 YR 4/2)	SiLo	see Table 14	JS	8/18/2004
	25-30	Lt.Brn.Gr (10 YR 6/2)	FmSiLo	---		
32.9W	0-24	Dk.Gr.Brn (10 YR 4/2)	SiLo	---	JS	8/18/2004
	24-30	Lt.Brn.Gr (10 YR 6/2)	FmSiLo	---		
32.10	0-10	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	see Table 14	JPT	8/16/2004
	10-22	Dk.Brn (10 YR 3/3)	SiLo	---		
32.10E	0-30	Dk.Gr.Brn (10 YR 4/2)	SiLo	---	JS	8/18/2004
	30-38	Dk.Brn (10 YR 3/3)	FmSiLo	---		
32.10N	0-26	Dk.Gr.Brn (10 YR 4/2)	SiLo	see Table 14	JS	8/18/2004
	26-36	Dk.Brn (10 YR 3/3)	FmSiLo	---		
32.10S	0-25	Dk.Gr.Brn (10 YR 4/2)	SiLo	---	JS	8/18/2004
	25-36	Dk.Brn (10 YR 3/3)	FmSiLo	---		
32.10W	0-25	Dk.Gr.Brn (10 YR 4/2)	SiLo	---	JS	8/18/2004
	25-32	Dk.Brn (10 YR 3/3)	FmSiLo	---		
33.1	0-22	Dk.Brn (10 YR 3/3)	SiLo	---	NAW/JPT	8/16/2004
	22-36	Dk.Y.Brn (10 YR 4/4)	FmSiLo	---		
33.2	0-20	Dk.Brn (10 YR 3/3)	SiLo	---	NAW/JPT	8/16/2004
	20-32	Brn (10 YR 4/3)	SiLo	---		
33.3	0-12	Dk.Brn (10 YR 3/3)	SiLo	---	NAW/JPT	8/16/2004
	12-23	Brn (10 YR 4/3)	SiLo	---		
33.4	0-15	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW/JPT	8/16/2004
	15-31	Brn (10 YR 4/3)	FmSiLo	---		
33.5	0-22	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	see Table 14	NAW/JPT	8/16/2004
	22-30	Dk.Brn (10 YR 3/3)	FmSiLo	---		
33.5E	0-14	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	JPT	8/18/2004
	14-22	Brn (10 YR 4/3)	SiLo	---		
33.5N	0-13	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	JPT	8/18/2004

	13-20	Brn (10 YR 4/3)	SiLo	---		
33.5S	0-13	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	see Table 14	JPT	8/18/2004
	13-19	Dk.Brn (10 YR 3/3)	SiLo	---		
33.5W	0-11	Dk.Brn (10 YR 3/3)	SiLo	---	JPT	8/18/2004
	11-23	Dk.Brn (10 YR 3/3)	SiLo	---		
33.6	0-25	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW/JPT	8/16/2004
	25-31	Dk.Y.Brn (10 YR 4/4)	FmSiLo	---		
33.7	0-25	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW/JPT	8/17/2004
	25-30	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
33.8	0-11	Dk.Brn (10 YR 3/3)	SiLo	---	NAW/JPT	8/16/2004
	11-21	Dk.Y.Brn (10 YR 4/4)	FmSiLo	---		
33.9	0-3	Dk.Brn (10 YR 3/3)	SiLo	---	NAW/JPT	8/16/2004
	3-16	Brn (10 YR 4/3)	SiLo	---		
33.10	0-15	Dk.Y.Brn (10 YR 3/4)	SiLo	---	MT/JT	8/17/2004
	15-24	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
33.11	0-13	V.Dk.Brn (10 YR 2/2)	SiLo	---	MT/JT	8/17/2004
	13-24	Dk.Brn (10 YR 3/3)	SiLo	---		
34.1	0-12	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	MT/JT	8/16/2004
	12-23	Dk.Gr.Brn (10 YR 4/2)	SiLo	---		
34.2	0-16	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	MT/JT	8/16/2004
	16-34	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---		
34.3	0-12	Dk.Brn (10 YR 3/3)	SiLo	---	MT/JT	8/16/2004
	12-28	Dk.Y.Brn (10 YR 3/4)	SiLo	---		
34.4	0-8	Dk.Brn (10 YR 3/3)	SiLo	---	MT/JT	8/16/2004
	8-28	Dk.Y.Brn (10 YR 3/4)	SiLo	---		
34.5	0-15	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	MT/JT	8/16/2004
	15-30	Dk.Y.Brn (10 YR 3/6)	SiLo	---		
34.6	0-20	Dk.Brn (10 YR 3/3)	SiLo	---	MT/JT	8/16/2004
	20-23	Brn (10 YR 4/3)	SiLo	---		
34.7	0-22	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	MT/JT	8/16/2004
	22-32	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
34.8	0-22	Dk.Brn (10 YR 3/3)	SiLo	---	MT/JT	8/16/2004

	22-25	Dk.Y.Brn (10 YR 4/4)	FmSiLo	---		
34.9	0-19	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	MT/JT	8/16/2004
	19-28	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
34.10	0-14	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	MT/JT	8/17/2004
	14-22	Dk.Y.Brn (10 YR 3/6)	SiLo	---		
34.11	0-9	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	MT/JT	8/17/2004
	9-20	Brn (10 YR 4/3)	SiLo	---		
34.12	0-19	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	MT/JT	8/17/2004
	19-28	Dk.Y.Brn (10 YR 4/4)	FmSiLo	---		
34.13	0-9	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	MT/JT	8/17/2004
	9-24	Dk.Y.Brn (10 YR 3/4)	FmSiLo	---		
35.1	0-8	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	JPT	8/16/2004
	8-17	Brn (10 YR 4/3)	SiLo	---		
35.2	0-4	Dk.Brn (10 YR 3/3)	SiLo	---	JPT	8/16/2004
	4-10	Brn (10 YR 4/3)	SiLo	---		
35.3	0-10	Dk.Gr.Brn (10 YR 4/2)	SiLo	---	JPT	8/16/2004
	10-22	Brn (10 YR 4/3)	SiLo	---		
35.4	0-14	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	JPT	8/16/2004
	14-22	Brn (10 YR 4/3)	SiLo	---		
35.5	0-7	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	JPT	8/16/2004
	7-17	Brn (10 YR 4/3)	VFmSiLo	---		
35.6	0-16	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	JPT	8/16/2004
	16-21	Brn (10 YR 4/3)	SiLo	---		
35.7	0-10	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	JPT	8/17/2004
	10-20	Dk.Brn (10 YR 3/3)	SiLo	---		
35.8	0-12	Dk.Brn (10 YR 3/3)	SiLo	---	JPT	8/17/2004
	12-23	Brn (10 YR 4/3)	SiLo	---		
35.9	0-7	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	JPT	8/17/2004
	7-16	Brn (10 YR 4/3)	SiLo	---		
35.10	0-12	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	JPT	8/17/2004
	12-17	Dk.Brn (10 YR 3/3)	SiLo	---		
35.11	0-12	V.Dk.Gr.Brn (10 YR 3/2)	FmSiLo	---	NAW/JPT	8/17/2004

	12-28	Dk.Brn (10 YR 3/3)	VFmSiLo	---		
35.12	0-15	Dk.Brn (10 YR 3/3)	SiLo	---	MT/JT	8/17/2004
	15-30	Dk.Y.Brn (10 YR 3/4)	SiLo	---		
36.1	0-14	Dk.Brn (10 YR 3/3)	SiLo	---	MT/JT	8/17/2004
	14-28	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
36.2	0-12	Dk.Brn (10 YR 3/3)	SiLo	---	MT/JT	8/17/2004
	12-32	Dk.Y.Brn (10 YR 3/6)	SiLo	---		
36.3	0-14	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	MT/JT	8/17/2004
	14-39	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
36.4	0-12	Dk.Y.Brn (10 YR 3/4)	SiLo	---	MT/JT	8/17/2004
	12-26	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
36.5	0-13	Dk.Gr.Brn (10 YR 4/2)	SiLo	---	MT/JT	8/17/2004
	13-24	Brn (10 YR 4/3)	SiLo	---		
36.6	0-20	Dk.Brn (10 YR 3/3)	SiLo	---	MT/JT	8/17/2004
	20-29	Dk.Y.Brn (10 YR 3/6)	SiLo	---		
36.7	0-14	Brn (10 YR 4/3)	SiLo	---	MT/JT	8/17/2004
	14-22	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
36.8	0-11	Dk.Brn (10 YR 3/3)	SiLo	---	MT/JT	8/17/2004
	11-24	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
36.9	0-14	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	MT/JT	8/17/2004
	14-24	Brn (10 YR 4/3)	SiLo	---		
36.10	0-16	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	MT/JT	8/17/2004
	16-29	Dk.Y.Brn (10 YR 4/6)	SiLo	---		
36.11	0-18	Dk.Brn (10 YR 3/3)	SiLo	---	MT/JT	8/17/2004
	18-29	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
36.12	0-14	Dk.Brn (10 YR 3/3)	SiLo	---	MT/JT	8/17/2004
	14-28	Dk.Y.Brn (10 YR 3/4)	SiLo	---		
36.13	0-14	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	see Table 14	MT/JT	8/17/2004
	14-39	Brn (10 YR 4/3)	SiLo	---		
36.13E	0-17	Dk.Brn (10 YR 3/3)	SiLo	---	JPT	8/18/2004
	17-22	Dk.Y.Brn (10 YR 4/4)	VFSiLo	---		
36.13N	0-15	Dk.Brn (10 YR 3/3)	SiLo	---	JPT	8/18/2004

	15-26	Brn (10 YR 4/3)	SiLo	---		
36.13S	0-17	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	JPT	8/18/2004
	17-23	Brn (10 YR 4/3)	VFSiLo	---		
36.13W	0-13	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	JPT	8/18/2004
	13-22	Brn (10 YR 4/3)	VFSiLo	---		
37.1	0-6	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW/JPT	8/17/2004
	6-17	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
37.2	0-7	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW/JPT	8/17/2004
	7-22	Brn (10 YR 4/3)	VFSaLo	---		
37.3	0-12	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW/JPT	8/17/2004
	12-22	Brn (10 YR 4/3)	SiLo	---		
37.4	0-22	Dk.Brn (10 YR 3/3)	SiLo	---	NAW/JPT	8/17/2004
	22-30	Brn (10 YR 4/3)	VFmSiLo	---		
37.5	0-10	Dk.Brn (10 YR 3/3)	SiLo	---	NAW/JPT	8/17/2004
	10-19	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
37.6	0-26	Dk.Brn (10 YR 3/3)	SiLo	---	NAW/JPT	8/17/2004
	26-30	Dk.Y.Brn (10 YR 4/4)	FmSiLo	---		
37.7	0-22	Dk.Brn (10 YR 3/3)	SiLo	---	NAW/JPT	8/17/2004
	22-28	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
37.8	0-36	Dk.Brn (10 YR 3/3)	SiLo	---	NAW/JPT	8/17/2004
	36-43	Brn (10 YR 4/3)	SiLo	---		
37.9	0-22	Dk.Brn (10 YR 3/3)	SiLo	---	NAW/JPT	8/17/2004
	22-28	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
37.10	0-13	Dk.Brn (10 YR 3/3)	SiLo	---	NAW/JPT	8/17/2004
	13-19	Dk.Y.Brn (10 YR 3/4)	SiLo	---		
37.11	0-19	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW/JPT	8/17/2004
	19-31	Dk.Y.Brn (10 YR 4/4)	VFSaLo	---		
38.1	0-12	Dk.Brn (10 YR 3/3)	SiLo	---	MT/JT	8/17/2004
	12-22	Y.Brn (10 YR 5/4)	SiLo	---		
38.2	0-12	Dk.Brn (10 YR 3/3)	SiLo	see Table 14	MT/JT	8/17/2004
	12-28	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
38.2E	0-17	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	see Table 14	JPT	8/18/2004

	17-22	Brn (10 YR 4/3)	SiLo	---		
38.2N	0-16	Dk.Brn (10 YR 3/3)	SiLo	---	JPT	8/18/2004
	16-25	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
38.2S	0-12	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	see Table 14	JPT	8/18/2004
	12-22	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
38.2W	0-12	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	see Table 14	JPT	8/18/2004
	12-26	Brn (10 YR 4/3)	SiLo	---		
38.3	0-12	Dk.Brn (10 YR 3/3)	SiLo	---	MT/JT	8/17/2004
	12-26	Dk.Y.Brn (10 YR 4/4)	FmSiLo	---		
38.4	0-16	Dk.Brn (10 YR 3/3)	SiLo	---	MT/JT	8/17/2004
	16-28	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
38.5	0-17	Dk.Gr.Brn (10 YR 4/2)	SiLo	---	MT/JT	8/17/2004
	17-22	Y.Brn (10 YR 5/4)	FmSiLo	---		
38.6	0-14	Dk.Brn (10 YR 3/3)	SiLo	---	MT/JT	8/17/2004
	14-27	Dk.Y.Brn (10 YR 3/4)	SiLo	---		
38.7	0-13	Dk.Gr.Brn (10 YR 4/2)	SiLo	---	MT/JT	8/18/2004
	13-27	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
38.8	0-28	Brn (10 YR 4/3)	SiLo	---	JS	8/18/2004
	28-32	Y.Brn (10 YR 5/4)	FmSiLo	---		
39.1	0-11	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW/JPT	8/17/2004
	11-18	Dk.Y.Brn (10 YR 3/6)	SiLo	---		
39.2	0-20	Dk.Brn (10 YR 3/3)	SiLo	---	NAW/JPT	8/17/2004
	20-26	Dk.Y.Brn (10 YR 4/4)	FmSiLo	---		
39.3	0-10	Dk.Y.Brn (10 YR 3/4)	SiLo	---	NAW/JPT	8/17/2004
	10-18	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
40.1	0-14	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	MT/JT	8/18/2004
	14-28	Dk.Y.Brn (10 YR 3/6)	SiLo	---		
40.2	0-19	Brn (10 YR 4/3)	SiLo	---	JS	8/18/2004
	19-29	Y.Brn (10 YR 5/4)	SiLo	---		
40.3	0-16	Brn (10 YR 4/3)	SiLo	---	JS	8/18/2004
	16-27	Y.Brn (10 YR 5/4)	SiLo	---		
41.1	0-24	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW/JPT	8/17/2004

	24-34	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
41.2	0-12	Dk.Brn (10 YR 3/3)	SiLo	---	NAW/JPT	8/17/2004
	12-19	Dk.Y.Brn (10 YR 3/6)	SiLo	---		
42.1	0-12	Dk.Brn (10 YR 3/3)	SiLo	---	JPT	8/18/2004
	12-21	Brn (10 YR 4/3)	SiLo	---		
42.2	0-12	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	JPT	8/18/2004
	12-17	Brn (10 YR 4/3)	SiLo	---		
43.1	0-4	Dk.Brn (10 YR 3/3)	SiLo	see Table 14	NAW	8/18/2004
	4-28	Brn (10 YR 4/3)	SiLo	---		
43.1E	0-14	Dk.Brn (10 YR 3/3)	SiLo	---	NAW	8/18/2004
	14-24	Brn (10 YR 4/3)	FmSiLo	---		
43.1N	0-5	Dk.Brn (10 YR 3/3)	SiLo	see Table 14	NAW	8/18/2004
	5-17	Y.Brn (10 YR 5/4)	SiLo	---		
43.1S	0-2	Dk.Brn (10 YR 3/3)	SiLo	---	NAW	8/18/2004
	2-14	Brn (10 YR 4/3)	SiLo	---		
43.1W	0-10	Dk.Brn (10 YR 3/3)	SiLo	---	NAW	8/18/2004
	10-22	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
43.2	0-7	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	JPT	8/18/2004
	7-18	Dk.Brn (10 YR 3/3)	SiLo	---		
44.1	0-10	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	MT/JT	8/18/2004
	10-16	Y.Brn (10 YR 5/4)	SiLo	---		
44.2	0-14	Brn (10 YR 4/3)	SiLo	---	JS	8/18/2004
	14-22	Y.Brn (10 YR 5/4)	SiLo	---		
45.1	0-9	Dk.Brn (10 YR 3/3)	SiLo	---	MT/JT	8/18/2004
	9-29	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
45.2	0-15	Brn (10 YR 4/3)	SiLo	---	JS	8/18/2004
	15-22	Y.Brn (10 YR 5/4)	SiLo	---		
46.1	0-10	Dk.Brn (10 YR 3/3)	SiLo	---	JPT	8/18/2004
	10-14	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
46.2	0-8	Dk.Brn (10 YR 3/3)	SiLo	---	NAW	8/18/2004
	8-27	Y.Brn (10 YR 5/4)	SiLo	---		
47.1	0-5	Brn (10 YR 4/3)	SiLo	---	MT/JT	8/18/2004

	5-18	Y.Brn (10 YR 5/4)	SiLo	---		
47.2	0-20	Brn (10 YR 4/3)	SiLo	---	JS	8/18/2004
	20-26	Y.Brn (10 YR 5/4)	SiLo	---		
47.3	0-26	Brn (10 YR 4/3)	SiLo	---	JS	8/18/2004
	26-29	Y.Brn (10 YR 5/4)	SiLo	---		
48.1	0-12	Dk.Brn (10 YR 3/3)	SiLo	---	MT/JT	8/18/2004
	12-27	Dk.Y.Brn (10 YR 3/6)	SiLo	---		
49.1	0-11	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	JPT	8/18/2004
	11-22	Brn (10 YR 4/3)	SiLo	---		
49.2	0-13	Dk.Brn (10 YR 3/3)	SiLo	---	NAW	8/18/2004
	13-28	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
49.3	0-19	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	see Table 16	MT/JT	8/18/2004
	19-24	Brn (10 YR 4/3)	SiLo	---		
49.3E	0-13	V.Dk.Brn (10 YR 2/2)	SiLo	see Table 16	MT/JT	8/19/2004
	13-26	Dk.Y.Brn (10 YR 3/4)	SiLo	---		
49.3N	0-18	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	MT/JT	8/19/2004
	18-26	Brn (10 YR 4/3)	SiLo	---		
49.3S	0-14	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	see Table 16	MT/JT	8/19/2004
	14-25	Brn (10 YR 4/3)	SiLo	---		
49.3W	0-17	Dk.Brn (10 YR 3/3)	FmSiLo	see Table 16	NAW/JPT	8/19/2004
	17-29	Dk.Y.Brn (10 YR 4/4)	VFmSiLo	---		
49.4	0-24	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	see Table 16	JPT	8/19/2004
	24-29	Brn (10 YR 4/3)	SiLo	---		
49.4E	0-30	Dk.Brn (10 YR 3/3)	FmSiLo	see Table 16	NAW/JPT	8/19/2004
	30-34	Brn (10 YR 4/3)	SiLo	---		
49.4N	0-18	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	see Table 16	JPT	8/19/2004
	18-26	Brn (10 YR 4/3)	SiLo	---		
49.4S	0-27	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	see Table 16	NAW/JPT	8/19/2004
	27-30	Brn (10 YR 4/3)	FmSiLo	---		
49.4W	0-18	V.Dk.Brn (10 YR 2/2)	SiLo	see Table 16	MT/JT	8/19/2004
	18-34	Dk.Brn (10 YR 3/3)	SiLo	---		
49.5	0-5	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	JPT	8/19/2004

	5-33	Brn (10 YR 4/3)	SiLo	---		
50.1	0-16	Dk.Brn (10 YR 3/3)	SiLo	---	MT/JT	8/19/2004
	16-27	Brn (10 YR 4/3)	SiLo	---		
50.2	0-10	Dk.Brn (10 YR 3/3)	SiLo	see Table 16	MT/JT	8/19/2004
	10-28	Dk.Y.Brn (10 YR 3/4)	SiLo	---		
50.2E	0-9	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	MT/JT	8/19/2004
	9-26	Dk.Y.Brn (10 YR 3/4)	SiLo	---		
50.2N	0-16	Dk.Brn (10 YR 3/3)	SiLo	see Table 16	MT/JT	8/19/2004
	16-26	Brn (10 YR 4/3)	SiLo	---		
50.2S	0-11	Dk.Brn (10 YR 3/3)	SiLo	see Table 16	MT/JT	8/19/2004
	11-26	Brn (10 YR 4/3)	SiLo	---		
50.2W	0-17	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	see Table 16	MT/JT	8/19/2004
	17-26	Brn (10 YR 4/3)	SiLo	---		
50.3	0-17	V.Dk.Brn (10 YR 2/2)	SiLo	see Table 16	MT/JT	8/19/2004
	17-23	Brn (10 YR 4/3)	SiLo	---		
50.3E	0-19	V.Dk.Gr (10 YR 3/1)	SiLo	see Table 16	MT/JT	8/19/2004
	19-26	Dk.Y.Brn (10 YR 3/4)	SiLo	---		
50.3N	0-28	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	see Table 16	NAW	8/19/2004
	28-34	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
50.3S	0-22	Dk.Brn (10 YR 3/3)	SiLo	see Table 16	MT/JT	8/19/2004
	22-26	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
50.3W	0-19	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	see Table 16	JPT	8/19/2004
	19-27	Brn (10 YR 4/3)	SiLo	---		
50.4	0-15	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	see Table 16	MT/JT	8/19/2004
	15-26	Dk.Y.Brn (10 YR 3/6)	SiLo	---		
50.4E	0-8	Dk.Gr.Brn (10 YR 4/2)	SiLo	see Table 16	MT/JT	8/19/2004
	8-21	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
50.4N	0-11	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	see Table 16	MT/JT	8/19/2004
	11-24	Brn (10 YR 4/3)	SiLo	---		
50.4S	0-24	Dk.Brn (10 YR 3/3)	SiLo	---	NAW	8/19/2004
	24-30	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
50.4W	0-12	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	see Table 16	MT/JT	8/19/2004

	12-27	Dk.Y.Brn (10 YR 3/4)	SiLo	---		
51.1	0-16	Dk.Brn (10 YR 3/3)	SiLo	see Table 16	JPT	8/19/2004
	16-26	Brn (10 YR 4/3)	SiLo	---		
51.1E	0-27	Dk.Brn (10 YR 3/3)	SiLo	see Table 16	JPT	8/19/2004
	27-37	Brn (10 YR 4/3)	SiLo	---		
51.1N	0-20	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	see Table 16	JPT	8/19/2004
	20-29	Brn (10 YR 4/3)	SiLo	---		
51.1S	0-11	Dk.Brn (10 YR 3/3)	SiLo	see Table 16	NAW	8/19/2004
	11-20	Dk.Y.Brn (10 YR 3/4)	FmSiLo	---		
51.1W	0-19	Dk.Brn (10 YR 3/3)	SiLo	see Table 16	NAW	8/19/2004
	19-28	Dk.Y.Brn (10 YR 3/4)	SiLo	---		
52.1	0-6	Brn (10 YR 4/3)	SiLo	---	NAW/JPT	8/19/2004
	6-30	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
52.2	0-14	Dk.Brn (10 YR 3/3)	SiLo	---	JPT	8/19/2004
	14-22	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
53.1	0-15	Dk.Brn (10 YR 3/3)	SiLo	---	JPT	8/19/2004
	15-21	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
53.2	0-11	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	JPT	8/19/2004
	11-22	Brn (10 YR 4/3)	SiLo	---		
54.1	0-18	Dk.Brn (10 YR 3/3)	SiLo	---	NAW	8/19/2004
	18-22	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
55.1	0-10	Dk.Brn (10 YR 3/3)	SiLo	---	MT/JT	8/20/2004
	10-26	Dk.Y.Brn (10 YR 3/6)	SiLo	---		
55.1E	0-13	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	MT/JT	8/20/2004
	13-24	Brn (10 YR 4/3)	SiLo	---		
55.1N	0-12	Dk.Brn (10 YR 3/3)	SiLo	---	MT/JT	8/20/2004
	12-26	Dk.Y.Brn (10 YR 3/6)	SiLo	---		
55.1S	0-8	Dk.Brn (10 YR 3/3)	SiLo	---	MT/JT	8/20/2004
	8-24	Brn (10 YR 4/3)	SiLo	---		
55.1W	0-16	Dk.Brn (10 YR 3/3)	SiLo	---	MT/JT	8/20/2004
	16-28	Brn (10 YR 4/3)	SiLo	---		
56.1	0-12	Dk.Gr.Brn (10 YR 4/2)	SiLo	---	JS	8/20/2004

	12-18	Y.Brn (10 YR 5/4)	SiLo	---		
57.1	0-15	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	JPT	8/20/2004
	15-24	Dk.Y.Brn (10 YR 3/4)	SiLo	---		
57.2	0-13	Dk.Brn (10 YR 3/3)	SiLo	---	JPT	8/20/2004
	13-19	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
58.1	0-20	Dk.Gr.Brn (10 YR 4/2)	SiLo	---	JS	8/20/2004
	20-24	Y.Brn (10 YR 5/4)	SiLo	---		
58.2	0-10	Brn (10 YR 4/3)	SiLo	---	JS	8/20/2004
	10-24	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
58.3	0-15	Brn (10 YR 4/3)	SiLo	---	JS	8/20/2004
	15-20	Y.Brn (10 YR 5/4)	SiLo	---		
58.4	0-16	Brn (10 YR 4/3)	SiLo	---	JS	8/20/2004
	16-24	Y.Brn (10 YR 5/4)	SiLo	---		
59.1	0-11	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	JPT	8/20/2004
	11-17	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
59.2	0-13	Dk.Gr.Brn (10 YR 4/2)	SiLo	---	JPT	8/20/2004
	13-22	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
59.3	0-11	Brn (10 YR 4/3)	SiLo	---	JPT	8/20/2004
	11-18	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
59.4	0-9	Dk.Brn (10 YR 3/3)	SiLo	---	JPT	8/20/2004
	9-18	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
60.1	0-10	Dk.Gr.Brn (10 YR 4/2)	SiLo	---	NAW	8/20/2004
	10-25			---		
60.2	0-7	Dk.Brn (10 YR 3/3)	SiLo	---	NAW	8/20/2004
	7-25			---		
60.3	0-6	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW	8/20/2004
	6-23			---		
60.4	0-8	V.Dk.Brn (10 YR 2/2)	SiLo	---	JPT	8/20/2004
	8-27	Dk.Y.Brn (10 YR 4/4)	FmSiLo	---		
61.1	0-12	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	MT/JT	8/20/2004
	12-26	Dk.Y.Brn (10 YR 3/6)	SiLo	---		
61.2	0-9	Dk.Brn (10 YR 3/3)	SiLo	---	MT/JT	8/20/2004

	9-20	Dk.Y.Brn (10 YR 3/6)	SiLo	---		
61.3	0-7	Dk.Y.Brn (10 YR 3/4)	SiLo	---	MT/JT	8/20/2004
	7-19	Dk.Y.Brn (10 YR 3/6)	SiLo	---		
61.4	0-9	Dk.Gr.Brn (10 YR 4/2)	SiLo	---	MT/JT	8/20/2004
	9-20	Brn (10 YR 4/3)	SiLo	---		
61.5	0-15	Dk.Brn (10 YR 3/3)	SiLo	---	MT/JT	8/20/2004
	15-23	Rd.Brn (5 YR 5/4)	FmSiLo	---		
62.1	0-38	V.Dk.Gr (10 YR 3/1)	SiLo	---	JS	8/20/2004
	38-42	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---		
62.2	0-24	Brn (10 YR 4/3)	SiLo	---	JS	8/20/2004
	24-30	Brn (10 YR 5/3)	SiLo	---		
62.3	0-32	Brn (10 YR 4/3)	SiLo	---	JS	8/20/2004
	32-36	Brn (10 YR 5/3)	SiLo	---		
62.4	0-10	Brn (10 YR 4/3)	SiLo	---	JS	8/20/2004
	10-20	Brn (10 YR 4/3)	FmSiLo	---		
62.5	0-10	Brn (10 YR 4/3)	SiLo	---	JS	8/20/2004
	10-17	Brn (10 YR 4/3)	FmSiLo	---		
63.1	0-9	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	MT/JT	8/20/2004
	9-24	Dk.Y.Brn (10 YR 3/4)	SiLo	---		
63.2	0-9	Bl (10 YR 2/1)	SiLo	---	MT/JT	8/20/2004
	9-23	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---		
63.3	0-14	Dk.Gr.Brn (10 YR 4/2)	SiLo	---	JPT	8/20/2004
	14-23	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
63.4	0-8	Dk.Gr.Brn (10 YR 4/2)	SiLo	---	JPT	8/20/2004
	8-22	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
63.5	0-6	Dk.Gr.Brn (10 YR 4/2)	SiLo	---	JPT	8/20/2004
	6-24	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
64.1	0-36	Dk.Brn (10 YR 3/3)	SiLo	---	NAW	8/20/2004
	36-40	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
64.2	0-18	Brn (10 YR 4/3)	SiLo	---	JS	8/20/2004
	18-22	Y.Brn (10 YR 5/4)	SiLo	---		
65.1	0-10	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	JPT	8/20/2004

	10-22	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
65.2	0-10	Dk.Brn (10 YR 3/3)	SiLo	---	JPT	8/20/2004
	10-22	Brn (10 YR 4/3)	SiLo	---		
65.3	0-15	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	JPT	8/20/2004
	15-22	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
65.3E	0-11	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	JPT	8/20/2004
	11-20	Brn (10 YR 4/3)	SiLo	---		
65.3N	0-8	V.Dk.Brn (10 YR 2/2)	SiLo	---	JS	8/20/2004
	8-32	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---		
65.3S	0-10	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	JPT	8/20/2004
	10-22	Brn (10 YR 4/3)	SiLo	---		
65.3W	0-9	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	JPT	8/20/2004
	9-24	Brn (10 YR 4/3)	SiLo	---		
66.1	0-20	Brn (10 YR 4/3)	SiLo	---	NAW	8/20/2004
	20-30	Brn (10 YR 4/3)	SiLo	---		
66.2	0-18	Dk.Brn (10 YR 3/3)	SiLo	---	NAW	8/20/2004
	18-29	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
66.3	0-21	Dk.Brn (10 YR 3/3)	SiLo	---	NAW	8/20/2004
	21-27	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
67.1	0-23	Brn (10 YR 4/3)	SiLo	---	JS	8/20/2004
	23-33	Brn (10 YR 4/3)	SiLo	---		
67.2	0-10	Brn (10 YR 4/3)	SiLo	---	JS	8/20/2004
	10-16	Brn (10 YR 5/3)	SiLo	---		
67.3	0-12	Brn (10 YR 4/3)	SiLo	---	JS	8/20/2004
	12-22	Brn (10 YR 5/3)	SiLo	---		
68.1	0-11	Brn (10 YR 4/3)	SiLo	---	JPT	8/20/2004
	11-22	Brn (10 YR 5/3)	SiLo	---		
68.2	0-9	Brn (10 YR 4/3)	SiLo	---	JPT	8/20/2004
	9-24	Brn (10 YR 5/3)	SiLo	---		
68.3	0-10	Dk.Brn (10 YR 3/3)	SiLo	---	JPT	8/20/2004
	10-24	Brn (10 YR 5/3)	SiLo	---		
69.1	0-18	Brn (10 YR 4/3)	SiLo	---	JS	8/20/2004

	18-27	Brn (10 YR 5/3)	SiLo	---		
69.2	0-12	Brn (10 YR 4/3)	SiLo	---	JS	8/20/2004
	12-18	Brn (10 YR 5/3)	SiLo	---		
70.1	0-12	Dk.Brn (10 YR 3/3)	SiLo	---	NAW	8/20/2004
	12-24	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
70.2	0-9	Dk.Brn (10 YR 3/3)	SiLo	---	NAW	8/20/2004
	9-23	Brn (10 YR 4/3)	SiLo	---		
71.1	0-10	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	JPT	8/20/2004
	10-22	Dk.Gr.Brn (10 YR 4/2)	SiLo	---		
71.2	0-10	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	JPT	8/20/2004
	10-22	Dk.Gr.Brn (10 YR 4/2)	SiLo	---		
71.3	0-9	Dk.Brn (10 YR 3/3)	SiLo	---	JPT	8/20/2004
	9-20	Brn (10 YR 4/3)	SiLo	---		
71.4	0-11	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	JPT	8/20/2004
	11-21	Brn (10 YR 4/3)	FmSiLo	---		
72.1	0-7	Dk.Brn (10 YR 3/3)	SiLo	---	MT/JT	8/20/2004
	7-20	Brn (10 YR 4/3)	SiLo	---		
72.2	0-8	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	MT/JT	8/20/2004
	8-22	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
72.3	0-10	Dk.Y.Brn (10 YR 3/4)	SiLo	---	MT/JT	8/20/2004
	10-20	Brn (10 YR 4/3)	SiLo	---		
72.4	0-9	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	MT/JT	8/20/2004
	9-18	Dk.Y.Brn (10 YR 4/4)	FmSiLo	---		
73.1	0-10	Dk.Y.Brn (10 YR 3/4)	SiLo	---	MT/JT	8/20/2004
	10-14	Dk.Gr.Brn (10 YR 4/2)	FmSiLo	---		
73.2	0-13	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	MT/JT	8/20/2004
	13-19	Brn (10 YR 4/3)	SiLo	---		
73.3	0-12	Dk.Brn (10 YR 3/3)	SiLo	---	MT/JT	8/20/2004
	12-20	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
73.4	0-10	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	MT/JT	8/20/2004
	10-21	Dk.Gr.Brn (10 YR 4/2)	SiLo	---		
73.5	0-14	Dk.Brn (10 YR 3/3)	SiLo	---	MT/JT	8/20/2004

	14-19	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
74.1	0-19	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	JS	8/20/2004
	19-24	Brn (10 YR 4/3)	FmSiLo	---		
74.2	0-21	Dk.Brn (10 YR 3/3)	SiLo	---	JS	8/20/2004
	21-29	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
74.3	0-14	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	JS	8/20/2004
	14-24	Dk.Gr.Brn (10 YR 4/2)	SiLo	---		
74.4	0-13	Dk.Brn (10 YR 3/3)	SiLo	---	JS	8/20/2004
	13-20	Dk.Y.Brn (10 YR 4/4)	SiLo	---		

92acre_Open_Area_STP_Results

STP #	Depth (cm)	Soil Color	Soil Texture	Artifact Summary	Excavator(s)	Excavation Date
NHF-1	0-24	Dk.Brn (10 YR 3/3)	SiLo	---	NAW	8/17/2004
	24-32	Dk.Y.Brn (10 YR 4/4)	FmSiLo	---		
NHF-2	0-23	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW	8/17/2004
	23-30	Y.Brn (10 YR 5/4)	SiLo	---		
NHF-3	0-29	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW	8/18/2004
	29-31	Dk.Y.Brn (10 YR 3/6)	SiLo	---		
NHF-4	0-30	Dk.Brn (10 YR 3/3)	SiLo	---	NAW	8/18/2004
	30-35	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
NHF-5	0-27	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW	8/18/2004
	27-30	Y.Brn (10 YR 5/4)	SiLo	---		
NHF-6	0-29	Dk.Brn (10 YR 3/3)	SiLo	---	NAW	8/18/2004
	29-32	Y.Brn (10 YR 5/4)	SiLo	---		
NHF-7	0-30	Dk.Brn (10 YR 3/3)	SiLo	---	NAW	8/18/2004
	30-35	Dk.Y.Brn (10 YR 3/6)	FmSiLo	---		
NHF-8	0-25	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW	8/18/2004
	25-31	Dk.Y.Brn (10 YR 4/4)	FmSiLo	---		
SHF-1	0-24	Dk.Brn (10 YR 3/3)	SiLo	---	NAW	8/19/2004
	24-30	Y.Brn (10 YR 5/6)	SiLo	---		
SHF-2	0-30	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW	8/19/2004
	30-36	Dk.Y.Brn (10 YR 3/6)	SiLo	---		
SHF-3	0-28	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW	8/19/2004
	28-34	Y.Brn (10 YR 5/4)	SiLo	---		
SHF-4	0-30	Dk.Brn (10 YR 3/3)	SiLo	---	NAW	8/19/2004
	30-34	Dk.Y.Brn (10 YR 3/4)	FmSiLo	---		
SHF-5	0-26	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW	8/19/2004
	26-29	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
SHF-6	0-29	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW	8/19/2004
	29-30	Dk.Y.Brn (10 YR 3/6)	FmSiLo	---		
SHF-7	0-24	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW	8/19/2004
	24-26	Dk.Y.Brn (10 YR 3/4)	SiLo	---		
SHF-8	0-29	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW	8/19/2004

	29-34	Y.Brn (10 YR 5/4)	SiLo	---		
SHF-9	0-27	Dk.Brn (10 YR 3/3)	SiLo	---	NAW	8/19/2004
	27-30	Y.Brn (10 YR 5/4)	SiLo	---		
SHF-10	0-31	Dk.Brn (10 YR 3/3)	SiLo	---	NAW	8/19/2004
	31-33	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
SHF-11	0-29	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW	8/19/2004
	29-31	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
SHF-12	0-30	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW	8/19/2004
	30-36	Dk.Y.Brn (10 YR 3/6)	FmSiLo	---		
FAF-1	0-31	Dk.Brn (10 YR 3/3)	SiLo	---	NAW	8/19/2004
	31-34	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
FAF-2	0-29	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW	8/19/2004
	29-30	Dk.Y.Brn (10 YR 3/6)	SiLo	---		
FAF-3	0-32	Dk.Brn (10 YR 3/3)	SiLo	---	NAW	8/19/2004
	32-34	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
FAF-4	0-30	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW	8/19/2004
	30-31	Dk.Y.Brn (10 YR 3/4)	FmSiLo	---		
FAF-5	0-29	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW	8/19/2004
	29-32	Dk.Y.Brn (10 YR 4/6)	FmSiLo	---		
FAF-6	0-30	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW	8/20/2004
	30-34	Dk.Y.Brn (10 YR 3/6)	SiLo	---		
FAF-7	0-28	Dk.Brn (10 YR 3/3)	SiLo	---	NAW	8/20/2004
	28-30	Dk.Y.Brn (10 YR 4/6)	SiLo	---		
FAF-8	0-30	Dk.Brn (10 YR 3/3)	SiLo	---	NAW	8/16/2004
	30-32	Dk.Y.Brn (10 YR 4/6)	SiLo	---		
FAF-9	0-27	Dk.Brn (10 YR 3/3)	SiLo	---	NAW	8/16/2004
	27-33	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
FAF-10	0-31	Dk.Brn (10 YR 3/3)	SiLo	---	NAW	8/16/2004
	31-36	Dk.Y.Brn (10 YR 4/6)	SiLo	---		
FAF-11	0-31	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW	8/16/2004
	31-32	Dk.Y.Brn (10 YR 3/4)	FmSiLo	---		
FAF-12	0-29	Dk.Brn (10 YR 3/3)	SiLo	---	NAW	8/16/2004

	29-34	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
FAF-13	0-30	Dk.Brn (10 YR 3/3)	SiLo	---	NAW	8/16/2004
	30-32	Dk.Y.Brn (10 YR 4/4)	SiLo	---		
FAF-14	0-27	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	NAW	8/16/2004
	27-31	Dk.Y.Brn (10 YR 4/6)	SiLo	---		
KEY						
	Brn-Brown		Dk-Dark		Fm-Firm	
	Gr-Grayish		Lo-Loam		Si-Silt	
	V-Very		Y-Yellowish			

Appendix E:
Shovel Test Pit Summary and Soil Profile Analysis for the Proposed 130-acre Soil Borrow/Development Project Area

STP #	Depth (cm)	Soil Color	Soil Texture	Artifact Summary	Excavator(s)	Excavation Date
1	0-22	Dk.Brn (10 YR 3/3)	SiLo	---	NAW	06-24-2009
	22-32	Brn (7.5 YR 4/3)	FmSiLo	---		
2	0-32	Dk.Brn (10 YR 3/3)	SiLo	---	TR	06-24-2009
	32-48	Brn (7.5 YR 4/3)	FmSiLo	---		
3	0-23	Dk.Brn (10 YR 3/3)	SiLo	---	NAW	06-24-2009
	23-30	Brn (7.5 YR 4/4)	VFmSiLo	---		
4	0-15	Brn (7.5 YR 4/4)	VFmSiLo	---	TR	06-24-2009
	NA	NA	NA	---		
5	0-10	Dk.Brn (10 YR 3/3)	SiLo	---	NAW	06/24/2009
	10-21	Brn (7.5 YR 4/4)	FmSiLo	---		
6	0-19	Dk.Brn (10 YR 3/3)	SiLo	---	TR	06/24/2009
	19-24	Brn (7.5 YR 4/4)	FmSiLo	---		
7	0-24	Dk.Brn (10 YR 3/2)	SiLo	---	NAW	06/24/2009
	24-32	Rd.Brn (2.5 YR 4/3)	SiLo	---		
8	0-31	Dk.Brn (10 YR 3/3)	SiLo	---	TR	06/24/2009
	31-36	Brn (7.5 YR 4/3)	FmSiLo	---		
9	0-14	Dk.Brn (10 YR 3/3)	SiLo	---	NAW	06/24/2009
	14-31	Dk.Brn (7.5 YR 3/3)	FmSiLo	---		
10	0-21	Dk.Brn (10 YR 3/3)	SiLo	---	TR	06/24/2009
	21-39	Brn (7.5 YR 4/3)	FmSiLo	---		
11	0-5	Dk.Brn (10 YR 3/3)	SiLo	---	NAW	06/24/2009
	5-14	Brn (7.5 YR 4/3)	SiLo	---		
12	0-21	Dk.Brn (10 YR 3/3)	SiLo	---	TR	06/24/2009
	21-38	Brn (10 YR 4/3)	SiLo	---		
13	0-23	Dk.Brn (10 YR 3/3)	SiLo	---	NAW	06/24/2009
	23-31	Brn (7.5 YR 4/4)	FmSiLo	---		
14	0-30	Dk.Brn (10 YR 3/3)	SiLo	---	TR	06/24/2009
	30-39	Brn (7.5 YR 4/4)	FmSiLo	---		
15	0-21	Dk.Brn (10 YR 3/3)	SiLo	---	NAW	06/24/2009
	21-33	Brn (7.5 YR 4/3)	FmSiLo	---		
16	0-26	Dk.Brn (10 YR 3/3)	SiLo	---	TR	06/24/2009

	26-36	Dk.Gr.Brn (10 YR 4/2)	FmSiLo	---		
17	0-24	Dk.Brn (10 YR 3/3)	SiLo	---	NAW	06/24/2009
	24-32	Dk.Brn (10 YR 4/4)	SiLo	---		
18	0-14	V.Dk.Gr.Brn (10 YR 3/2)	SiLo	---	TR	06/24/2009
	14-25	Brn (7.5 YR 4/4)	FmSiLo	---		
19	0-19	Dk.Y.Brn (10 YR 3/4)	SiLo	---	NAW	06/24/2009
	19-34	Brn (10 YR 4/3)	SiLo	---		
20	0-16	Dk.Brn (10 YR 3/3)	SiLo	---	TR	06/24/2009
	16-30	Brn (7.5 YR 4/3)	SiLo	---		
21	0-17	Dk.Brn (10 YR 3/3)	SiLo	---	NAW	06/24/2009
	17-32	Brn (10 YR 4/3)	SiLo	---		
22	0-17	Dk.Brn (10 YR 3/3)	SiLo	---	TR	06/24/2009
	17-29	Brn (10 YR 4/3)	SiLo	---		
23	0-2	Dk.Brn (10 YR 3/3)	SiLo	---	NAW	06/24/2009
	2-16	Gr.Brn (10 YR 5/2)	SiLo	gravel fill		
24	0-17	Dk.Brn (10 YR 3/3)	SiLo	---	TR	06/24/2009
	17-30	Brn (10 YR 4/3)	SiLo	---		
25	0-15	Dk.Brn (10 YR 3/3)	SiLo	---	NAW	06/24/2009
	15-28	Brn (10 YR 4/3)	SiLo	---		
26	0-13	Dk.Brn (10 YR 3/3)	SiLo	---	TR	06/24/2009
	13-20	Dk.Gr.Brn (10 YR 4/2)	SiLo	---		
27	0-7	Dk.Brn (10 YR 3/3)	SiLo	---	NAW	06/24/2009
	7-26	Brn (10 YR 4/3)	SiLo	---		
28	0-29	Dk.Y.Brn (10 YR 4/4)	SiLo	---	NAW	07/15/2009
	29-35	Brn (10 YR 5/3)	FmSiLo	---		
29	0-25	Dk.Y.Brn (10 YR 4/4)	FmSiLo	---	NAW	07/15/2009
	25-33	Brn (10 YR 5/3)	VFmSiLo	---		
30	0-17	Dk.Y.Brn (10 YR 4/4)	FmSiLo	---	NAW	07/15/2009
	17-30	Brn (7.5 YR 4/3)	VFmSiLo	---		
31	0-22	Dk.Y.Brn (10 YR 4/4)	FmSiLo	---	NAW	07/15/2009
	22-26	Brn (10 YR 5/3)	FmSiLo	---		
32	0-12	Brn (10 YR 4/3)	SiLo	---	NAW	07/15/2009

	12-25	Dk.Y.Brn (10 YR 4/4)	FmSiLo	---		
33	0-21	Dk.Y.Brn (10 YR 4/4)	FmSiLo	---	NAW	07/15/2009
	21-26	Y.Brn (10 YR 5/4)	VFmSiLo	---		
34	0-10	Dk.Y.Brn (10 YR 4/4)	FmSiLo	---	NAW	07/15/2009
	10-22	Pa.Brn (10 YR 6/3)	VFmSiLo	---		
35	0-14	Str.Brn (7.5 YR 4/6)	FmSiLo	---	NAW	07/15/2009
	14-23	Rd.Brn (5 YR 5/4)	VFmSiLo	---		
36	0-19	Dk.Y.Brn (10 YR 4/4)	FmSiLo	---	NAW	07/15/2009
	19-25	Brn (7.5 YR 5/4)	VFmSiLo	---		
37	0-10	Dk.Y.Brn (10 YR 4/4)	VFmSiLo	---	NAW	07/15/2009
	10-20	Brn (10 YR 4/3)	VFmSiLo	---		
38	0-8	Brn (10 YR 4/3)	FmSiLo	---	NAW	08/26/2009
	8-17	Str.Brn (7.5 YR 4/6)	VFmSiLo	---		
39	0-3	Brn (10 YR 4/3)	FmSiLo	---	NAW	08/26/2009
	3-15	Str.Brn (7.5 YR 4/6)	VFmSiLo	---		
40	0-5	Brn (10 YR 4/3)	FmSiLo	---	NAW	08/26/2009
	5-14	Brn (7.5 YR 4/4)	VFmSiLo	---		
41	0-6	Brn (10 YR 4/3)	FmSiLo	---	NAW	08/26/2009
	6-12	Str.Brn (7.5 YR 4/6)	VFmSiLo	---		
42	0-24	Dk.Y.Brn (10 YR 4/4)	FmSiLo	---	NAW	08/26/2009
	24-34	Brn (7.5 YR 4/4)	VFmSiLo	---		
43	0-14	Brn (7.5 YR 4/4)	FmSiLo	---	NAW	08/26/2009
	14-35	Str.Brn (7.5 YR 4/6)	VFmSiLo	---		
44	0-7	Brn (10 YR 4/3)	FmSiLo	---	NAW	08/26/2009
	7-20	Str.Brn (7.5 YR 4/6)	VFmSiLo	---		
45	0-5	Brn (10 YR 4/3)	FmSiLo	---	NAW	08/26/2009
	5-17	Str.Brn (7.5 YR 4/6)	VFmSiLo	---		
46	0-4	Brn (10 YR 4/3)	FmSiLo	---	NAW	08/26/2009
	4-20	Str.Brn (7.5 YR 4/6)	VFmSiLo	---		
47	0-8	Dk.Brn (10 YR 3/3)	SiLo	---	NAW	08/26/2009
	8-29	Brn (10 YR 4/3)	FmSiLo	---		
48	0-6	Dk.Brn (10 YR 3/3)	SiLo	---	NAW	08/26/2009

	6-30	Brn (10 YR 4/3)	FmSiLo	---		
49	0-8	Dk.Brn (10 YR 3/3)	FmSiLo	---	NAW	09/18/2009
	8-23	Brn (7.5 YR 4/4)	FmSiLo	---		
50	0-12	Dk.Brn (10 YR 3/3)	FmSiLo	---	NAW	09/18/2009
	12-24	Dk.Y.Brn (10 YR 4/4)	FmSiLo	---		
51	0-4	Dk.Y.Brn (10 YR 3/4)	GrvSiLo	---	NAW	09/18/2009
	4-23	Str.Brn (7.5 YR 4/6)	FmSiLo	---		
52	0-5	Dk.Y.Brn (10 YR 4/4)	FmSiLo	---	NAW	09/18/2009
	5-26	Lt.Y.Brn (10 YR 6/4)	FmSiLo	---		
53	0-2	Dk.Y.Brn (10 YR 4/4)	SiLo	---	NAW	09/18/2009
	2-15	Str.Brn (7.5 YR 4/6)	VFmSiLo	---		
54	0-4	Dk.Brn (10 YR 3/3)	SiLo	---	NAW	09/18/2009
	4-29	Y.Brn (10 YR 5/4)	FmSiLo	---		
55	0-4	Dk.Y.Brn (10 YR 3/4)	SiLo	---	NAW	09/18/2009
	4-19	Str.Brn (7.5 YR 4/6)	FmSiLo	---		
56	0-8	Dk.Y.Brn (10 YR 4/4)	SiLo	---	NAW	09/18/2009
	8-22	Str.Brn (7.5 YR 4/6)	FmSiLo	---		
57	0-0.5	Dk.Brn (10 YR 3/3)	SiLo	---	NAW	09/18/2009
	0.5-20	Str.Brn (7.5 YR 4/6)	FmSiLo	---		
58	0-0.5	Dk.Brn (10 YR 3/3)	SiLo	---	NAW	09/18/2009
	0.5-15	Str.Brn (7.5 YR 4/6)	FmSiLo	---		
59	0-2	Dk.Y.Brn (10 YR 4/4)	SiLo	---	NAW	09/18/2009
	2-21	Str.Brn (7.5 YR 4/6)	FmSiLo	---		
60	0-9	Dk.Y.Brn (10 YR 3/4)	SiLo	---	NAW	09/18/2009
	9-26	Brn (10 YR 4/3)	FmSiLo	---		
61	0-0.5	Dk.Brn (10 YR 3/3)	SiLo	---	NAW	09/18/2009
	0.5-8	Str.Brn (7.5 YR 4/6)	VFmSiLo	---		
62	0-5	Dk.Y.Brn (10 YR 4/4)	SiLo	---	NAW	09/18/2009
	5-15	Str.Brn (7.5 YR 4/6)	VFmSiLo	---		
63	0-19	Brn (10 YR 4/3)	SiLo	---	NAW	09/18/2009
	19-25	Brn (7.5 YR 4/4)	FmSiLo	---		
64	0-15	Brn (10 YR 4/3)	SiLo	---	NAW	09/18/2009

	15-26	Y.Brn (10 YR 5/4)	FmSiLo	---		
65	0-9	Brn (10 YR 4/3)	SiLo	---	NAW	09/18/2009
	9-22	Brn (10 YR 5/3)	GrvSiLo	---		
66	0-0.5	Dk.Brn (10 YR 3/3)	SiLo	---	NAW	09/18/2009
	0.5-15	Str.Brn (7.5 YR 4/6)	FmSiLo	---		
67	0-11	Brn (10 YR 4/3)	SiLo	---	NAW	09/18/2009
	11-23	Brn (7.5 YR 4/4)	FmSiLo	---		
68	0-22	Brn (10 YR 4/3)	SiLo	---	NAW	09/18/2009
	22-29	Y.Brn (10 YR 5/4)	SiLo	---		
69	0-4	Brn (10 YR 4/3)	SiLo	---	NAW	09/18/2009
	4-19	Brn (7.5 YR 4/4)	GrvSiLo	---		
70	0-0.5	Dk.Brn (10 YR 3/3)	SiLo	---	NAW	09/18/2009
	0.5-13	Str.Brn (7.5 YR 4/6)	VFmSiLo	---		
71	0-6	Brn (10 YR 4/3)	SiLo	---	NAW	09/18/2009
	6-25	Str.Brn (7.5 YR 4/6)	FmSiLo	---		
72	0-7	Brn (10 YR 4/3)	SiLo	---	NAW	09/18/2009
	7-24	Str.Brn (7.5 YR 4/6)	FmSiLo	---		
73	0-15	Brn (10 YR 4/3)	FmSiLo	---	NAW	09/20/2009
	15-26	Brn (7.5 YR 4/4)	VFmSiLo	---		
74	0-14	Brn (10 YR 4/3)	SiLo	---	NAW	09/20/2009
	14-29	Brn (7.5 YR 4/4)	FmSiLo	---		
75	0-9	Brn (10 YR 4/3)	SiLo	---	NAW	09/20/2009
	9-23	Brn (7.5 YR 4/4)	FmSiLo	---		
76	0-7	Brn (10 YR 4/3)	SiLo	---	NAW	09/20/2009
	7-21	Brn (7.5 YR 4/4)	FmSiLo	---		
77	0-6	Brn (10 YR 4/3)	SiLo	---	NAW	09/20/2009
	6-20	Brn (7.5 YR 5/4)	FmSiLo	---		
78	0-9	Brn (10 YR 4/3)	SiLo	---	NAW	09/20/2009
	9-24	Brn (7.5 YR 4/4)	FmSiLo	---		
79	0-5	Brn (10 YR 4/3)	SiLo	---	NAW	09/20/2009
	5-18	Brn (7.5 YR 4/4)	FmSiLo	---		
80	0-8	Brn (10 YR 4/3)	SiLo	---	NAW	09/20/2009

	8-19	Brn (7.5 YR 4/4)	FmSiLo	---		
81	0-6	Brn (10 YR 4/3)	SiLo	---	NAW	09/20/2009
	6-22	Brn (7.5 YR 4/4)	FmSiLo	---		
82	0-7	Brn (10 YR 4/3)	SiLo	---	NAW	09/20/2009
	7-16	Str.Brn (7.5 YR 4/6)	FmSiLo	---		
83	0-3	Brn (10 YR 4/3)	SiLo	---	NAW	09/20/2009
	3-15	Str.Brn (7.5 YR 4/6)	FmSiLo	---		
84	0-4	Brn (10 YR 4/3)	SiLo	---	NAW	09/20/2009
	4-16	Str.Brn (7.5 YR 4/6)	FmSiLo	---		
85	0-2	Brn (10 YR 4/3)	SiLo	---	NAW	09/20/2009
	2-20	Str.Brn (7.5 YR 4/6)	FmSiLo	---		
86	0-3	Brn (10 YR 4/3)	SiLo	---	NAW	09/20/2009
	3-17	Str.Brn (7.5 YR 4/6)	FmSiLo	---		
87	0-5	Brn (10 YR 4/3)	SiLo	---	NAW	09/20/2009
	5-10	Str.Brn (7.5 YR 4/6)	FmSiLo	---		
88	0-9	Brn (10 YR 4/3)	SiLo	---	NAW	09/20/2009
	9-23	Str.Brn (7.5 YR 4/6)	FmSiLo	---		
89	0-7	Brn (10 YR 4/3)	SiLo	---	NAW	09/21/2009
	7-21	Brn (7.5 YR 4/4)	FmSiLo	---		
90	0-5	Brn (10 YR 4/3)	SiLo	---	NAW	09/21/2009
	5-20	Brn (7.5 YR 4/4)	FmSiLo	---		
91	0-6	Brn (10 YR 4/3)	SiLo	---	NAW	09/21/2009
	6-19	Brn (7.5 YR 4/4)	FmSiLo	---		
92	0-7	Brn (10 YR 4/3)	SiLo	---	NAW	09/21/2009
	7-18	Brn (7.5 YR 4/4)	FmSiLo	---		
93	0-3	Brn (10 YR 4/3)	SiLo	---	NAW	09/21/2009
	3-19	Str.Brn (7.5 YR 4/6)	FmSiLo	---		
94	0-2	Brn (10 YR 4/3)	SiLo	---	NAW	09/21/2009
	2-17	Brn (7.5 YR 4/4)	FmSiLo	---		
95	0-7	Brn (10 YR 4/3)	SiLo	---	NAW	09/21/2009
	7-17	Brn (7.5 YR 4/4)	FmSiLo	---		
KEY						

	Brn-Brown		Dk-Dark		Fm-Firm	
	Gr-Grayish		Grv-Gravelly		Lo-Loam	
	Lt-Light		Pa-Pale		Rd-Reddish	
	Si-Silt		Str-Strong		V-Very	
	Y-Yellowish					